

# Axolight

design  
that lasts




# axolight's vision | design that lasts

design che dura nel tempo

Il processo creativo di Axolight è orientato alla sintesi dei tre elementi portanti della propria visione aziendale: design, tecnica e funzione.

Axolight's creative process is oriented towards the synthesis of the three pillars upon which the company's vision is built: design, technique and function.



# design

## **Design | ispirazione, concetto e finalità**

Il design di Axolight è ispirato dai trend socio culturali ed architeturali delle diverse società che compongono il mondo contemporaneo.

Nelle creazioni Axolight la prima impronta di design è in chiara evidenza nella struttura del corpo illuminante. La luce invece, per il tramite della sua forma nell'ambiente, rappresenta l'impronta più nascosta del concetto di design secondo Axolight.

**Il corpo lampada ha in sé la dimensione fisica del design, la luce è l'estensione "ultrafisica" del design.**

Per Axolight il design è la chiave del rapporto fra l'azienda e il mondo esterno. Con il design l'azienda mira a generare sul proprio pubblico un sentimento di piacere e di benessere interiore.

## **Design | inspiration, concept and purpose**

*Axolight's design is inspired by the socio-cultural and architectural trends that constitute the contemporary world.*

*In the Axolight creations, the importance of the design element is clearly evident in the structure of the lighting body. Light, on the other hand, through its shape in the environment, represents the most hidden imprint of the design concept according to Axolight.*

***If the lamp body contains the physical dimension of the design, the light represents the "ultra-physical" extension of the design.***

*For Axolight, design is the key to the relationship between the company and the outside world. With its creative process, the company aims to generate a feeling of pleasure and inner well-being in its audience.*

# technique

## **Tecnica | luce e struttura**

Il focus tecnico del processo creativo di Axolight si concentra sulla forma della luce e sull'affidabilità strutturale del corpo illuminante.

Axolight ricerca, sviluppa e testa forme di luce e di struttura inventando, di volta in volta, soluzioni tecniche adeguate alle necessità illuminotecniche ed estetiche delle proprie creazioni.

Il processo di sviluppo è altresì agevolato da uno studio costante di ciò che ricercatori e produttori di componenti di materiali e componenti illuminotecniche, che stanno a monte del processo produttivo di Axolight, hanno messo o stanno mettendo a punto.

**La tecnica costruttiva di tutti i corpi illuminanti di Axolight è pensata per la creazione di beni affidabili e durevoli, in grado di passare di mano in mano, da una generazione ad un'altra.**

## **Technique | light and structure**

*The technical focus of Axolight's creative process concentrates on the shape of the light and on the structural reliability of the fixtures.*

*Axolight researches, develops and tests forms of light and structure by inventing, from time to time, the best technical solutions for the lighting and aesthetic needs of its creations.*

*The development process is also facilitated by a constant study of what researchers and manufacturers of material and lighting engineering components, which are upstream of the Axolight production process, have developed or are developing.*

***The construction technique of all Axolight lighting bodies is designed for the creation of reliable and durable goods, meant to pass from hand to hand, from one generation to another.***

# function

## **Funzione | fruibilità e tempo**

**Secondo Axolight, la contemporaneità di un oggetto è proporzionale alla sua reale utilità all'interno di uno spazio architettonico ed alla sua durata.**

L'utilità di un bene può essere molteplice, anche solo emozionale o tecnico emozionale, ma è necessario che sia identificabile e fruibile nel tempo.

In una società colma di sovrapproduzioni, la creazione fine a sé stessa è per Axolight un concetto non in linea con i propri valori aziendali.

## **Function | usability and time**

***According to Axolight, the contemporaneity of an object is proportional to its real usefulness within an architectural space and to its duration. The***

*usefulness of an asset can be multiple, even if only emotional or technical-emotional, anyway it must be identifiable and usable over time.*

*In a society full of overproduction, creation per se is for Axolight a concept that is not in line with its corporate values.*

Anche il processo produttivo, secondo Axolight, deve avere una funzione evolutiva nell'ambito dei luoghi in cui esso avviene e si sviluppa. Gli oggetti Axolight vengono realizzati in Italia, in conformità alle normative internazionali in materia di rispetto della persona e salvaguardia dell'ambiente, con materiali e componenti prevalentemente riciclabili, rigenerabili o da riciclo.

*According to Axolight, the production process must also have an evolutionary function in the context of the places where it occurs and develops. Axolight creations are made in Italy, in compliance with international regulations on human rights and environmental protection, utilizing mainly recyclable, regenerable or recycled materials and components.*

# Indice alfabetico

Alphabetical index

---

**Alysoid** 176

SUSPENSION

---

**Aura (Avir)** 234

WALL | CEILING | SUSPENSION

---

**Bell**  270

CEILING | SUSPENSION

---

**Bul-Bo** 26

FLOOR

---

**Clavius** 244

WALL | CEILING | SUSPENSION | FLOOR | TABLE

---

**Cloudy** 264

SUSPENSION

---

**Cut** 34

SUSPENSION | FLOOR | TABLE

---

**DoDot** 124

WALL AND CEILING

---

**Ego** 142

WALL AND CEILING

---

**Fairy** 196

WALL | RECESSED | CEILING | SUSPENSION

---

**Fedora** 226

RECESSED | SUSPENSION

---

**Float** 42

WALL | SUSPENSION | FLOOR | TABLE

---

**Hoops** 164

CEILING | SUSPENSION

---

**Jewel** 52

SUSPENSION

---

**Jewel Mono** 58

SUSPENSION | RECESSED

---

**Kwic** 184

WALL AND CEILING | SUSPENSION | FLOOR

---

**Layers**  278

SUSPENSION

---

**Liaison**  152

SUSPENSION | RECESSED

---

**Lik** 128

WALL

---

**Manto** 180

SUSPENSION

---

**Mountain View** 192

SUSPENSION

---

**Muse** 260

WALL AND CEILING

---

**Nelly** 304

WALL AND CEILING

---

**Nelly Straight** 306

WALL AND CEILING

---

**Orchid** 110

WALL | SUSPENSION | FLOOR | TABLE | CEILING

---

**Pivot**  62

WALL AND CEILING | RECESSED

---

**Poses**  94

WALL | RECESSED | SUSPENSION

---

**Skin** 254

CEILING | SUSPENSION

---

**Skirt**  282

CEILING | SUSPENSION

---

**Spillray** 208

WALL | RECESSED | SUSPENSION

---

**U-Light**  78

WALL AND CEILING | SUSPENSION | RECESSED

---

**Ukiyo**  300

WALL AND CEILING

---

**Urban & Urban Mini** 132

CEILING | SUSPENSION | RECESSED

---


**Velvet**  294

CEILING | SUSPENSION

---

**Virtus** 146

SUSPENSION | RECESSED



Sistema di lampada modulare.  
Modular lamp system.



Collezione con proprietà fonoassorbenti.  
Collection with sound absorbing functions.

# Sospensione

Suspension


Alysoid p 176




Aura (Avir) p 236




Bell p 272



Clavius p 248



Cloudy p 264




Cut p 38



Fairy p 196




Fedora p 226




Float p 50




Hoops p 166




Jewel p 52



Jewel Mono p 60



Kwic p 188




Layers p 278




Liaison p 152




Manto p 180



Mountain View p 192



Orchid p 114 - 116



Poses p 94




Skin p 254



Skirt p 282



Spillray p 208




U-Light p 80



U-Light p 80



Urban p 134



Urban Mini p 138



Velvet p 294



Virtus p 146



Sistema di lampada modulare.  
Modular lamp system.



Collezione con proprietà fonoassorbenti.  
Collection with sound absorbing functions.

# Parete

Wall

Aura (Avir) p 242



Clavius p 252



DoDot p 124



Ego p 142



Fairy p 202



Float p 51



Kwic p 184



Lik p 128



Muse p 260



Nelly p 304




Nelly Straight p 306




Orchid p 122



Pivot (system) p 62




Poses p 94




Spillray p 222



U-Light p 86



U-Light p 86



Ukiyo p 300



Sistema di lampada modulare.  
Modular lamp system.




Collezione con proprietà fonoassorbenti.  
Collection with sound absorbing functions.


# Soffitto

Ceiling

Aura (Avir) p 240



Bell p 276



Clavius p 250



DoDot p 124




Ego p 142



Fairy p 204



Hoops p 172



Kwic p 186



Muse p 260



Nelly p 304




Nelly Straight p 306



Orchid p 120




Pivot (system) p 62



Pivot (single spotlight) p 76




Poses p 94




Skin p 258




Skirt p 290



U-Light p 86



U-Light p 86



Ukiyo p 300



Urban p 136



Urban Mini p 140



Velvet p 298



# Incasso

Recessed

Fairy p 206



Fedora p 232



Jewel Mono p 60



Liaison p 154



Pivot (single spotlight) p 77




Poses p 94




Poses p 94



Spillray p 212-224




U-Light p 82




U-Light p 82




U-Light p 86



U-Light p 86



Urban p 134



Urban Mini p 138



Virtus p 146



Sistema di lampada modulare.  
Modular lamp system.



Collezione con proprietà fonoassorbenti.  
Collection with sound absorbing functions.



Sistema di lampada modulare.  
Modular lamp system.




Collezione con proprietà fonoassorbenti.  
Collection with sound absorbing functions.

# Tavolo

## Table

Clavius p 246



Cut p 40



Float p 46



Orchid p 118



# Terra

## Floor

Bul-Bo p 26



Clavius p 244



Cut p 36



Float p 48



Kwic p 190



Orchid p 112



# Misure

## Sizes

S Small

M Medium

L Large

XL Extra large

Axolight progetta e realizza prodotti (in pronta consegna e custom) per grandi, medi e piccoli spazi. Per ogni prodotto qui rappresentato, è possibile conoscere l'offerta dimensionale seguendo l'indicazione delle taglie S, M, L, XL.

*Axolight designs and manufactures products (prompt delivery and custom made) for large, medium and small spaces. For each product family represented here it is possible to know the dimensional offer following the size indication S, M, L, XL.*



# Designers

Il percorso creativo di Axolight ha inizio e si sviluppa anche grazie al costante confronto e a specifiche collaborazioni con designer di fama mondiale, designer emergenti, istituti di design e centri di ricerca.

*Axolight's creative path begins and develops also thanks to a constant discussion and specific collaborations with world-famous designers, emerging designers, design institutes and research centers.*




Roberto Gabetti, Aimaro Isola, Guido Drocco



Timo Ripatti



Dima Loginoff



Ryosuke Fukusada



Sara Moroni



S. & R. Cornelissen



Studio Yonoh



Simone Micheli



Rainer Mutsch



Manuel Vivian




Davide Besozzi



Mario Alessiani



Sandro Santantonio



Giovanni Barbato

# Collezioni

Il presente Catalogo raccoglie tutte le collezioni realizzate in serie da Axolight.  
La sequenza delle pagine segue un ordine legato principalmente al tipo di materiale di base di cui si compone la collezione: metallo (p. 26 – 179), vetro (p. 180 – 243), tessuto (p. 244 – 307).

L'ultima parte del Catalogo (p. 308 – 317) è invece dedicato alla descrizione delle caratteristiche tecniche delle collezioni con proprietà fonoassorbenti.

*This Catalog gathers all the standard collections by Axolight.  
The sequence of the pages follows an order related to the main material that defines each collection:  
metal (p. 26 - 179), glass (p. 180 - 243), fabric (p. 244 - 307).*

*The last part of the Catalog (p. 308 - 317) is instead dedicated to the description of the technical features of the collections with sound absorbing properties.*

# bul-bo

Gabetti & Isola










La lampada **Bul-Bo** appartiene alla serie di arredi disegnati per il Centro Residenziale **Olivetti** a Ivrea (Torino) dallo studio di architettura **Gabetti e Isola** (Roberto Gabetti, Aimaro Isola, Guido Drocco, Luciano Re) tra il 1968 e il 1971. Il contesto nel quale i progettisti operarono era quello ancora fortemente influenzato dalla mente illuminata di Adriano Olivetti, scomparso pochi anni prima. Con la creazione di Bul-Bo si diede vita ad una lampada giocosa, ironica e funzionale, in perfetta aderenza a quel clima di "ribellione agli schemi" che, nella seconda metà degli anni '60 del Novecento, avrebbe lasciato un'impronta indelebile nei costumi. A 50 anni di distanza, Axolight ripropone questo iconico oggetto d'illuminazione introducendo elementi contemporanei nel rispetto filologico del disegno originale.

Nel 1968 - quando nelle città di mezzo mondo nasceva uno fra i più dirompenti movimenti di massa del '900' e i paesaggi rurali lasciavano definitivamente il passo all'impatto estetico delle fabbriche - lo studio Gabetti e Isola avviava il progetto di realizzazione del Centro Residenziale Olivetti di Ivrea, dando vita a innovative soluzioni residenziali (pensate per i dipendenti della Olivetti, una delle più importanti aziende al mondo del '900) che lasceranno ai posteri l'idea di un nuovo modo di vivere gli spazi.

"Per creare la nuova Bul-Bo, lampada già oggetto di brevetto - spiega il team di Axolight - e applicare a essa materiali e processi produttivi contemporanei, è stato vitale e risolutivo ricorrere a un esercizio di maieutica estremamente emotivo che ci ha portati alla ricostruzione del pensiero progettuale degli autori dell'opera. Aver dato una seconda vita a una lampada così importante per la storia del design moderno - che a cinquant'anni dalla sua prima edizione, rimane incredibilmente forte, non conforme, libera e rivoluzionaria - è un qualcosa che ci inorgoglisce, ci emoziona e arricchisce". "Nello sviluppo della nuova Bul-Bo, Axolight si è posta l'obiettivo di ricreare un'oggetto esteriormente fedele alla sua forma originale, ma in grado di assolvere la sua funzione illuminante in maniera ultra contemporanea".

Bul-Bo fu la bandiera illuminante attorno a cui si radunavano i vari complementi di arredo realizzati dallo studio Gabetti e Isola per Olivetti, non più legati alle pareti, come da tradizione, ma liberi nello spazio.




The **Bul-Bo** lamp belongs to the series of furnishings designed for the **Olivetti Residential Center** in Ivrea (Turin) by the architectural firm **Gabetti e Isola** (Roberto Gabetti, Aimaro Isola, Guido Drocco, Luciano Re) between 1968 and 1971. The context in which the designers worked was still strongly influenced by the enlightened mind of Adriano Olivetti, who died a few years earlier. With the creation of Bul-Bo, a playful, ironic and functional lamp was created, in perfect coherence to that climate of "rebellion against schemes" which, in the second half of the 1960s, would have left an indelible mark on costumes. 50 years later, Axolight re-proposes this iconic lighting object by introducing contemporary elements in the philological respect of the original design.

In 1968 - when one of the most disruptive mass movements of the 20th century was born in cities around the world and rural landscapes definitively gave way to the aesthetic impact of factories - the Gabetti e Isola studio started the project for the construction of the Olivetti Residential Center in Ivrea, giving life to innovative residential solutions (designed for the employees of Olivetti, one of the most important companies in the world of the 20th century) whose legacy is the idea of a new way of living spaces.

"To create the new Bul-Bo, a lamp already patented - explains the Axolight team - and to apply contemporary materials and production processes to it, we found it vital and decisive to resort to an extremely emotional maieutics exercise that led us to the reconstruction of the design thinking of the creators of the work. Having given a second life to a lamp so important for the history of modern design - which, fifty years after its first edition, remains incredibly strong, non-conforming, free and revolutionary - makes us proud, thrilled and enriched". "In developing the new Bul-Bo, Axolight set itself the goal of recreating an object externally faithful to its original form, but able to fulfil its modern lighting function".

Bul-Bo was the illuminating flag around which the various furnishing accessories made by the Gabetti e Isola studio for Olivetti gathered, no longer tied to the walls, as per tradition, but free in space.



**Bul-Bo fu e rimane un oggetto di rottura con il passato.** Questa lampada venne pensata per contribuire a dare vita a un ambiente residenziale di ispirazione schilleriana: ludico, libero e orientato ad apportare un benessere psicofisico agli ospiti del Centro Residenziale Olivetti.

**Bul-Bo was and remains an object of a break with the past.** This lamp was designed to help create a residential environment inspired by Schiller: playful, free and oriented to bring psychophysical well-being to its guests.

PTBUL-B2NELELED



# bul-bo

Gabetti e Isola

Collezione composta da piantana orientabile in acciaio e alluminio. Disponibile in due colorazioni. Sorgente LED dimmerabile incorporata. Regolazione autonoma del posizionamento della sorgente LED.

*Collection consisting of steel and aluminum adjustable floor lamp. Available in two colours. Built-in dimmable LED source. Adjustable Led source positioning.*


## GENERAL INFORMATION

ETL in progress  
EAC in progress


DRIVER INCLUDED

COLOURS

BODY



polished / aluminum



intense / black

BAG



black

PT BUL-B  
kg 30 m<sup>3</sup> 0,40



IP20 CR>90 LED

- 1 - 2700K
- 2 - 3000K\*



**Body Colours**  
AL polished aluminum  
NE intense black

**Bag Finishing**  
NE nero/black

LED 15,3 W  
~1924 lm\* ~125 lm/W\* source

100-240VAC

example composition code  
PT BUL-B 1 AL NE LED



Possibilità di posizionare autonomamente la sorgente LED.  
Possibility of autonomously positioning the LED source.



# cut

Timo Ripatti

M

PTCUTXXXNEXXLED  
SPCUTXXXNEXXLED  
LTCUTXXXNEXXLED





# cut

Timo Ripatti

Collezione di lampade a sospensione, terra e tavolo con struttura metallica in alluminio e acciaio. Disponibile in colore nero. Corpo illuminante installabile in tre posizioni differenti. Sorgente luminosa a LED integrato dimmerabile.

*Collection consisting of steel and aluminum suspended, floor and table lamps. Available in black colour. The Lighting source can be installed in three different positions. Built-in dimmable LED light source.*

## GENERAL INFORMATION

### COLOUR



intense black

PT CUT  
kg 15,5 m³ 0,220

CE ENEC ETL in progress

IP20 CRI>90 dimmable LED

CUT / DIMMER INCLUDED


Colours  
NE intense black

3000K


LED 21W - optic ~ 60° beam  
1665 lm 80 lm/W source

110-240VAc

example composition code  
PT CUT XXX NE XX LED



3 posizioni di montaggio della lampada / Installation of the lamp in 3 positions






# cut

Timo Ripatti

SP CUT  
kg 5,57 m³ 0,133



CUT / DRIVER INCLUDED



Colours  
NE intense black

3000K




LED 21W - optic ~ 60° beam  
~ 1665 lm 80 lm/W source

110-240Vac

example composition code  
SP CUTXXX NE XX LED




3 posizioni di montaggio della lampada / Installation of the lamp in 3 positions



# cut

Timo Ripatti

LT CUT  
kg 4,75 m³ 0,133



CE EAC ETL in progress

IP20 CRI>90 dimmable LED

CUT / DIMMER INCLUDED

Colours  
NE intense black


3000K

LED 17W - optic ~ 60° beam  
1376 lm 81 lm/W source

110-240Vac

example composition code  
LT CUT XXX NE XX LED

3 posizioni di montaggio della lampada / Installation of the lamp in 3 positions



# float

Mario Alessiani



S

LTFLOATXNELEED  
SPFLOATXNELEED





## float

Mario Alessiani

Lampada multifunzionale portatile a batteria, con sorgente a led integrato, adatta per interni ed esterni. Struttura realizzata in alluminio e acciaio inox con diffusore in PC ad alta efficienza. Dimmerabile a 5 livelli. Autonomia 9h con kit batterie sostituibili e ricaricabili per almeno 500 cicli.

*Multifunctional mobile battery lamp with integrated led source, for indoor and outdoor applications. Aluminum and stainless steel structure, high efficiency PC diffusor. Dimmable 5 steps. 9 hours runtime with replaceable battery kit with at least 500 recharging cycles.*

## GENERAL INFORMATION

CE  EAC  500 cycles  9 hours

## COLOURS




white

blue


black

concrete green



mauve dust

## COLOURS TOP



white

black

concrete grey

«L'idea di Float nasce da un'ispirazione romantica, legata all'immagine di una candela accesa su una vecchia bottiglia vuota riposta sul tavolo di un ristorante. Un simbolo di semplicità, incredibilmente forte e poetico.»

Mario Alessiani

*"The idea of Float comes from a romantic inspiration, linked to the image of a candle lit on an old empty bottle placed on a restaurant table. A symbol of simplicity, strong and poetic."*

Mario Alessiani





# float

Mario Alessiani

LT FLOATX  
kg 0,90 m³ 0,007

 5 steps IP55 **LED**

FLOAT / table lamp / wall lamp / suspension / for installation on bottles


2700K

LED 3,5W - diffuser beam  
~ 200 lm 57,14 lm/W source

### Colours

BC white / BC white  
BL blue / BC white  
NE black / NE black  
CG concrete green / CO concrete grey  
MD mauve dust / BC white

example composition code  
LT FLOATX BL BC LED



LTFLOATXCGCOLED  
LTFLOATXMDBCLED  
SPFLOATXBLBCLED






# float

Mario Alessiani

**PTFLOATX**  
kg 0,90 m³ 0,007



 5 steps IP55 **LED**

**FLOAT / floor lamp / wall lamp / suspension / for installation on bottles**

2700K

**LED 3,5W** - diffuser beam  
~ 200 lm 57,14 lm/W source

**Colours**

- BC** white / **BC** white
- BL** blue / **BC** white
- NE** black / **NE** black
- CG** concrete green / **CO** concrete grey
- MD** mauve dust / **BC** white

example composition code

**PT FLOATX BL BC LED**




SPFLOATXNENELED




# float

Mario Alessiani

SP FLOAT  
kg 0,40 m³ 0,0025



 5 steps IP55 **LED**

FLOAT / suspension lamp / wall lamp / for installation on bottles

2700K

LED 3,5W - diffuser beam  
~ 200 lm 57,14 lm/W source

Colours

- BC white / BC white
- BL blue / BC white
- NE black / NE black
- CG concrete green / CO concrete grey
- MD mauve dust / BC white

example composition code  
SP FLOATX BL BC LED

SPFLOATXMBCLLED / SPFLOATXBLBCLLED / SPFLOATXCGCOLED



S M

SPJEWDO1NENELED

jewel  
Studio Yonoh



jewel  
Studio Yonoh

Collezione di lampade a sospensione in alluminio con arco in nylon e fibre di vetro da riciclo. Disponibile in colore nero e quattro versioni. Sorgente luminosa a LED integrato dimmerabile.

*Collection of aluminum suspended lamps with glass filled nylon arch made with recycled materials. Available in four pre-defined configurations in black color. Build-in dimmable LED light source.*

GENERAL INFORMATION



DRIVER INCLUDED DIMMABLE

COLOURS




black

greige  
upon request

produced  
with recycled  
material

SP JEW D 01  
kg 0,9 m³ 0,039



Colours / Finish  
NE black / NE black  
GE greige / NE black upon request


3000K\*  
2700K upon request  
3500K upon request

optic ~ 38° beam, 12° upon request

LED 6,5W  
~671 lm\* ~103 lm/W\* source

220-240VAC

example composition code  
SP JEW D 01 NE NE LED







# jewel

Studio Yonoh

SPJEWD03NELELED



SP JEWD 03  
kg 3,5 m³ 0,0208

Colours / Finish  
NE black / NE black  
GE greige / NE black upon request


3000K\*  
2700K upon request  
3500K upon request

optic ~ 38° beam, 12° upon request

LED 3 x 6,5W  
~2013 lm\* ~103 lm/W\* source

220-240VAC


example composition code  
SP JEWD 03 NE NE LED





SPJEWD04NELED



SP JEWD 04  
kg 8,7 m³ 0,065



  IP20 CRI>90 **LED**

**Colours / Finish**  
NE black / NE black  
GE greige / NE black upon request

3000K\*  
2700K upon request  
3500K upon request


optic ~ 38° beam, 12° upon request



LED 4 x 6,5W  
~2684 lm\* ~103 lm/W\* source

220-240VAC

example composition code  
SP JEWD 04 NE NE LED

SP JEWD 10  
kg 8,7 m³ 0,201



  IP20 CRI>90 **LED**

**Colours / Finish**  
NE black / NE black  
GE greige / NE black upon request

3000K\*  
2700K upon request  
3500K upon request

optic ~ 38° beam, 12° upon request

LED 10 x 6,5W  
~6710 lm\* ~103 lm/W\* source

110-240VAC

example composition code  
SP JEWD 10 NE NE LED

SPJEWD10NELED



S

SPJM0132ORNELED

# jewel mono

Studio Yonoh



SPJM0132NEGRLED



SPJMI132NEGRLED

# jewel mono

Studio Yonoh

Collezione di lampade a sospensione in alluminio con arco in nylon riciclato PA12 arch. Disponibile in diverse versioni. La sorgente luminosa è a LED integrato dimmerabile o non dimmerabile. La particolare tecnica di produzione dell'archetto può avere lievi differenze di tonalità.

*Collection consisting of suspended lamps made of aluminium and recycled PA12 arch. Available in different versions. Built-in dimmable or not dimmable LED light source. The particular production technique of the small arch could have slight differences of tonality.*

## GENERAL INFORMATION

### COLOURS



black / black

black / gray

gold / black

greige / black upon request

**SP JM 01**  
kg 0,9 m³ 0,004



CE ETL in progress  
EAC in progress

dimmerabile 0/1-10V IP20 CRI>90 LED

**JEWEL / DRIVER INCLUDED DIMMABLE**

1 - 12° beam - degreese  
3 - 38° beam - degreese

1 - 2700K  
2 - 3000K\*  
3500K upon request


**Colours / Finish**  
NE black / NE black  
NE black / GR gray  
OR gold / NE black  
GE greige / NE black upon request

LED 6,5W  
~671 lm\* ~103 lm/W\* source

220-240VAC

example composition code  
SP JM 01 1 1 NE NE LED

**SP JM 11 (RECESSED)**  
kg 0,9 m³ 0,004



CE ETL in progress  
EAC in progress

IP20 CRI>90 dimmerabile with dedicated PSU LED

**JEWEL / DRIVER NOT INCLUDED  
COMPATIBLE WITH PIVOT SYSTEM**

1 - 12° beam - degreese  
3 - 38° beam - degreese

1 - 2700K  
2 - 3000K\*  
3500K upon request


**Colours / Finish**  
NE black / NE black  
NE black / GR gray  
OR gold / NE black  
GE greige / NE black upon request

LED 6,5W  
~671 lm\* ~103 lm/W\* source

700mA 9,2Vdc

example composition code  
SP JM 11 1 1 NE NE LED

**CEDLTC00124** dimmable Phase Cut 700mA driver - Max 20W trailing and leading edge

 **CEDLTC00127** dimmable 0/1 - 10V - Push - 700mA driver - Max 9W

**CEDLTC00126** dimmable DALI 700mA driver - Max 20W

**CEDLTC00104** dimmable DALI 700mA driver - Max 50W




# pivot

Ryosuke Fukusada

Ryosuke Fukusada, con la sua idea di Pivot, ci porta verso una dimensione matematica del design e della luce. La bellezza di Pivot sta nelle infinite possibilità stilistiche e luminose realizzabili utilizzando un unico punto luce.

*Ryosuke Fukusada, with his idea of Pivot, is leading us towards a mathematical dimension of design and lighting. The beauty of Pivot lies in the infinite styling and lighting possibilities, all of which can be created starting from a single lighting spot.*





# pivot (system) ○○○

Ryosuke Fukusada


Collezione composta da plafoniere e sospensioni modulari.  
Disponibile in diversi colori, fasci di luce e CCT.

*Collection consisting of modular ceiling - suspension lamps.  
Available in different colors, beam angles and CCT.*


## GENERAL INFORMATION

CE ETL in progress  
EAC in progress

## COLOURS



white



black



greige

Nella versione di serie, ogni sistema può accogliere da due o dieci sorgenti di luce. Le singole canaline tubolari saranno lunghe 35, 65 e 100 cm. Il sistema è stato progettato per essere facilmente allungato o accorciato per progetti su misura.

*In the standard version, each system can accommodate from two to ten light sources. The individual tubular wire-wise will be 35, 65 and 100 cm long. The system has been designed to be easily lengthened or shortened so that it may adapt to customized projects.*



“L'estetica di questa lampada è stata altresì ispirata all'hishaku, un mestolo per l'acqua in bambù o legno usato in Giappone per lavarsi le mani e purificarsi prima di entrare in un santuario. Ha un aspetto semplice, snello e iconico, sorprendentemente calzante con la mia idea di forma e funzione della lampada Pivot”.

Ryosuke Fukusada


*“The aesthetics of this lamp was also inspired by the hishaku, a bamboo or wooden water ladle used in Japan to wash hands and purify oneself before entering a shrine. It has a simple, slender and iconic appearance, surprisingly fitting with my idea of the form and function of the Pivot lamp”.*

Ryosuke Fukusada

1 x ROSONEPIVOTGEXX  
3 x SATELLPIVOT32GE  
2 x PENDANTSATELLGE  
2 x SATELTURNXX32GE  
4 x KITPIVOT100GEXX  
1 x KITPIVOT065GEXX  
1 x CEDLTC00128




1 x ROSONEPIVOTBCXX  
 1 x SATELLPIVOT32BC  
 3 x PENDANTSATELLBC  
 2 x SATELTURNXX32BC  
 1 x SPURBMIP2BCLCC  
 3 x KITPIVOT100BCXX  
 3 x KITPIVOT065BCXX  
 2 x KITJUNCTIPPVBC  
 1 x CEDLTC00128



Pivot è altresì utilizzabile come sistema a sospensione.  
 Il sistema Pivot è stato infatti pensato e progettato per essere compatibile con quattro collezioni di sospensioni Axolight: Jewel Mono di Studio Yonoh, Liaison di Sara Moroni, Urban mini di Dima Loginoff, Virtus di Manuel Vivian.  
 I pendenti saranno applicabili in alternativa, integrale o parziale, ai singoli spot da soffitto, dando vita a un sistema di illuminazione con infinite possibilità interpretative e vocato al mondo della progettazione.

*Pivot can also be used as a suspension system: in fact, it was designed and created to be compatible with four Axolight suspensions collections: Jewel Mono by Studio Yonoh, Liaison by Sara Moroni, Urban mini by Dima Loginoff, Virtus by Manuel Vivian. The pendants can therefore be used as an alternative, in whole or in part, to individual ceiling spots, giving life to a lighting system with endless interpretative possibilities and suited to the world of design.*




1 x ROSONEPIVOTNEXX  
10 x PENDANTSATELLNE  
10 x SPJMI132NENELED  
10 x KITPIVOTO65NEXX  
2 x CEDLTC00128

# pivot (system) | compatible suspension ○○○


## JEWEL MONO



code  
SP JEWEL MONO I1 (RECESSED)  
for more information, see page 60



1 x ROSONEPIVOTNEXX - 4 x PENDANTSATELLNE - 4 x SPJMI132NENELED - 2 x KITPIVOT035NEXX - 1 x KITPIVOT065NEXX - 1 x KITPIVOT100NEXX - 1 x CEDLTC00128




1 x ROSONEPIVOTNEXX - 3 x SATELLPIVOT32NE - 1 x PENDANTSATELLNE - 1 x SPJMI132NENELED - 3 x KITPIVOT065NEXX - 1 x KITPIVOT100NEXX - 1 x CEDLTC00128

# pivot (system) | compatible suspension ○○○

## LIAISON



code  
SP LIA P I1 (RECESSED)  
SP LIA M I1 (RECESSED)  
SP LIA G I1 (RECESSED)  
for more information, see page 154



1 x ROSONEPIVOTNEXX - 1 x PENDANTSATELLNE - 2 x SPLIAM1INEOOLED - 2 x KITPIVOT100NEXX - 1 x CEDLTC00128


# pivot (system) | compatible suspension ○○○

URBAN MINI / LCC



code  
SP URBMI PI (RECESSED) LCC  
SP URBMI MI (RECESSED) LCC  
SP URBMI GI (RECESSED) LCC

for more information, see page 138



1 x ROSONEPIVOTBCXX - 4 x PENDANTSATELLBC - 4 x SPURBMIMI2BCLCC - 2 x KITPIVOT065BCXX - 2 x KITPIVOT100BCXX - 1 x CEDLTC00128


# pivot (system) | compatible suspension ○○○

VIRTUS SUSPENSION



code  
E 2 101 4 11 1 X (RECESSED)

for more information, see page 146




1 x ROSONEPIVOTBCXX - 6 x PENDANTSATELLBC - 4 x E21014072X - 6 x KITPIVOT065BCXX - 2 x CEDLTC00128

# pivot (system) accessori / accessories

## CANOPY ROSONEPIVOT

kg 1,25





### CANOPY WITH SPINNING DEVICES / DRIVER NOT INCLUDED

Colours  
BC white  
NE black  
GE greige

example composition code  
ROSONEPIVOT BC XX

## SPOTLIGHT SATELLPIVOT

kg 0,574



### SPOTLIGHT SATELLITE / DRIVER NOT INCLUDED

1 - 12° beam - degreese  
3 - 38° beam - degreese

1 - 2700K  
2 - 3000K\*  
3 - 3500K

Colours  
BC white  
NE black  
GE greige



LED 1 x 6,5W  
~671 lm\* ~103 lm/W\* source

700mA - 9,2Vdc

example composition code  
SATELLPIVOT 1 1 BC

## SPOTLIGHT X SATELTURNXX

kg 0,547



### ORIENTABLE SPOTLIGHT SATELLITE / DRIVER NOT INCLUDED COMPATIBLE ONLY WITH PENDANTS SATELLITE

1 - 12° beam - degreese  
3 - 38° beam - degreese

1 - 2700K  
2 - 3000K\*  
3 - 3500K

Colours  
BC white  
NE black  
GE greige


LED 1 x 6,5W  
~671 lm\* ~103 lm/W\* source

770mA - 9,2Vdc

example composition code  
SATELTURNXX 1 1 BC

## PENDANTSATELL

kg 0,240



### PENDANTS SATELLITE / DRIVER NOT INCLUDED


Colours  
BC white  
NE black  
GE greige

example composition code  
PENDANTSATELL BC

# pivot (system) accessori / accessories

## KITPIVOT035

kg 0,38




### PIVOT / ROD 35 cm

Colours  
BC white  
NE black  
GE greige

example composition code  
KITPIVOT035 BC XX

## KITPIVOT065

kg 0,68




### PIVOT / ROD 65 cm

Colours  
BC white  
NE black  
GE greige

example composition code  
KITPIVOT065 BC XX

## KITPIVOT100

kg 1,00




### PIVOT / ROD 100 cm

Colours  
BC white  
NE black  
GE greige

example composition code  
KITPIVOT100 BC XX

## KITJUNCTIGPIV




### PIVOT / JUNCTION KIT

Colours  
BC white  
NE black

example composition code  
KITJUNCTIGPIV BC

## DIMMABLE 0/1 - 10V CEDLTC00128

net kg 0,215



### DRIVER 700mA DIMMABLE 0/1 - 10V & PUSH

700mA constant - 53 Vdc

example composition code  
CEDLTC00128

I corpi illuminanti sono stati progettati per il raggiungimento di un elevato confort visivo. La sorgente LED a corrente costante e la sua lente, sono alloggiati nel cilindro in maniera recessa. I LED driver, sono alloggiati in unico rosone ed alimentano l'intero sistema.

*The lighting bodies have been designed to achieve high visual comfort. The constant current LED source and its lens are housed in the cylinder in a recessed manner. The LED drivers are housed in a single canopy and power the entire system.*

PLPIVO0132GEXXX



# pivot (single spotlight)

Ryosuke Fukusada

**PL PIVO01**  
kg 0,57 m³ 0,005



IP20 CRI90 **LED**

**SPOTLIGHT / DRIVER INCLUDED (DIMMABLE)**

1 - 12° beam - degrease  
3 - 38° beam - degrease

1 - 2700K  
2 - 3000K\*  
3 - 3500K


**Colours**  
BC white  
NE black  
GE greige

**LED** 1 x 6,5W  
~671 lm\* ~103 lm/W\* source

220-240VAC

example composition code  
**PL PIVO 01 3 2 BC XXX**

**SATELTURNXI**  
kg 0,663



CRI90 **LED**

**RECESSED ORIENTABLE SPOTLIGHT SATELLITE / DRIVER NOT INCLUDED**

1 - 12° beam - degrease  
3 - 38° beam - degrease

1 - 2700K  
2 - 3000K\*  
3 - 3500K

**Colours**  
BC white  
NE black  
GE greige

**LED** 1 x 6,5W  
~671 lm\* ~103 lm/W\* source

700mA - 9,2 Vdc

example composition code  
**SATELTURNXI 1 1 BC**

SATELTURNXI32GE





L | XL

SPUL160LEDANXX



# u-light

Timo Ripatti



## u-light

Timo Ripatti

Collezione composta da lampade a parete, soffitto e sospensione in alluminio. Disponibile in due colori e diverse dimensioni. Sorgente luminosa a LED integrato dimmerabile. Disponibile con opzione fonoassorbente.

*Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and few sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.*

Prodotto fonoassorbente / Sound absorbing product



### GENERAL INFORMATION



#### COLOURS



anthracite grey



rust brown

#### CANOPY




#### WALL AND CEILING LAMP VERSION



wall or ceiling details




wall, ceiling or pendant lamp canopy version



wall, ceiling or pendant lamp recessed version



acoustic performance





# u-light

Timo Ripatti

## SP ULI 090 LED

kg 7,2 m³ 0,19



IP20 CRI90  **LED**

U-LIGHT / downward lighting only  
/ DRIVER INCLUDED

3000K\*  
2700K upon request

LED 63W - diffused beam  
~5158 lm\* 82 lm/W\* source

100-240VAc

Colours  
AN anthracite / grey  
RU rust / brown

example composition code  
SP ULI 090 LED AN XX

other CCT options  
available upon request





KITFASPULO90AAV, KITFASPUL120AAV  
opzione fonoassorbente antracite /  
sound absorbing option anthracite

KITFASPULO90RAV, KITFASPUL120RAV  
opzione fonoassorbente ruggine /  
sound absorbing option rust brown

## SP ULI 120 LED

kg 8,2 m³ 0,33



IP20 CRI90  **LED**

U-LIGHT / downward lighting only  
/ DRIVER INCLUDED

3000K\*  
2700K upon request

LED 86W - diffused beam  
~7736 lm\* 90 lm/W\* source


100-240VAc


Colours  
AN anthracite / grey  
RU rust / brown

example composition code  
SP ULI 120 LED AN XX

## SP ULI 160

kg 18,8 m³ 0,6



IP20 CRI90  **LED**

U-LIGHT / downward lighting only  
/ DRIVER INCLUDED

3000K\*  
2700K upon request

LED 125W - diffused beam  
~9025 lm\* 72 lm/W\* source

100-240VAc

Colours  
AN anthracite / grey  
RU rust / brown

example composition code  
SP ULI 160 LED AN XX




pannello fonoassorbente non  
disponibile / sound absorbing  
panel not available



# u-light

Timo Ripatti

**SP ULA 090 LED canopy**  
**SP ULA 090 LED recessed**  
 canopy kg 5,8 m³ 0,128  
 recessed kg 2,5 m³ 0,126



IP20 CRI90 **LED**

**U-LIGHT / suspension with canopy / DRIVER INCLUDED**

3000K\*  
 2700K upon request

**LED 63W** - diffused beam  
 ~5158 lm\* 82 lm/W\* source

100-240VAc

**Colours**  
**AN** anthracite / grey  
**RU** rust / brown

example composition code  
**SP ULA 090 LED AN XX**

IP20 CRI90 **LED**

**U-LIGHT / recessed suspension lamp / DRIVER NOT INCLUDED**

3000K\*  
 2700K upon request

**LED 54W** - diffused beam  
 ~5158 lm\* 95 lm/W\* source

24Vdc




**Colours**  
**AN** anthracite / grey  
**RU** rust / brown

example composition code  
**SP ULA 090 LED AN IN**

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

**CEDMWC00202** dimmable 1-10V 24Vdc / driver max 80W  
**CEDMWC00204** dimmable DALI 24Vdc / driver max 75W

**SP ULA 120 LED canopy**  
**SP ULA 120 LED recessed**  
 canopy kg 6,5 m³ 0,180  
 recessed kg 3 m³ 0,150



IP20 CRI90 **LED**

**U-LIGHT / suspension with canopy / DRIVER INCLUDED**

3000K\*  
 2700K upon request

**LED 86W** - diffused beam  
 ~7736 lm\* 90 lm/W\* source

100-240VAc

**Colours**  
**AN** anthracite / grey  
**RU** rust / brown

example composition code  
**SP ULA 120 LED AN XX**

IP20 CRI90 **LED**

**U-LIGHT / recessed suspension lamp / DRIVER NOT INCLUDED**

3000K\*  
 2700K upon request

**LED 74W** - diffused beam  
 ~7736 lm\* 104 lm/W\* source

24Vdc

**Colours**  
**AN** anthracite / grey  
**RU** rust / brown

example composition code  
**SP ULA 120 LED AN IN**

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

**CEDMWC00203** dimmable 1-10V 24Vdc / driver max 100W  
**CEDMWC00205** dimmable DALI 24Vdc / driver max 100W

Installazione downlight o uplight.  
 Downlight or uplight mounting.

other CCT options  
 available upon request



**KITFASPULA090AV**,  
**KITFASPULA000AV**  
 opzione fonassorbente avorio /  
 sound absorbing option ivory.

SPULA160LEDRIUIN  
 SPULA120LEDRIUIN


SPULA120LEDUIN  
KITFASPULA000AV



u-light

Timo Ripatti

SP ULA 160 LED canopy  
SP ULA 160 LED recessed  
canopy kg 9,1 m³ 0,310  
recessed kg 4,8 m³ 0,280




rosone standard / standard canopy



rosone incasso / recessed canopy



IP20 CRI90  **LED**

U-LIGHT / suspension with canopy / DRIVER INCLUDED


3000K\*  
2700K upon request

LED 125W - diffused beam  
~9025 lm\* 72 lm/W\* source

100-240V<sub>AC</sub>

Colours  
AN anthracite / grey  
RU rust / brown

example composition code  
SP ULA 160 LED AN XX

IP20 CRI90  **LED**

U-LIGHT / recessed suspension lamp / DRIVER NOT INCLUDED

3000K\*  
2700K upon request


LED 102W - diffused beam  
~9025 lm\* 88 lm/W\* source

24V<sub>DC</sub>


Colours  
AN anthracite / grey  
RU rust / brown

example composition code  
SP ULA 160 LED AN IN

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

 CEDMWC00202 dimmable 1-10V 24V<sub>DC</sub>  
driver max 80W x 2 pcs  
CEDMWC00204 dimmable DALI 24V<sub>DC</sub>  
driver max 75W x 2 pcs


SP ULA 180 LED canopy  
SP ULA 180 LED recessed  
canopy kg 10,5 m³ 0,330  
recessed kg 5,4 m³ 0,310




rosone standard / standard canopy



rosone incasso / recessed canopy



IP20 CRI90  **LED**

U-LIGHT / suspension with canopy / DRIVER INCLUDED


3000K\*  
2700K upon request

LED 153W - diffused beam  
~10315 lm\* 67 lm/W\* source

100-240V<sub>AC</sub>

Colours  
AN anthracite / grey  
RU rust / brown

example composition code  
SP ULA 180 LED AN XX

IP20 CRI90  **LED**

U-LIGHT / recessed suspension lamp / DRIVER NOT INCLUDED

3000K\*  
2700K upon request


LED 123W - diffused beam  
~10315 lm\* 84 lm/W\* source

24V<sub>DC</sub>

Colours  
AN anthracite / grey  
RU rust / brown

example composition code  
SP ULA 180 LED AN IN

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

 CEDMWC00203 dimmable 1-10V 24V<sub>DC</sub>  
driver max 100W x 2 pcs  
CEDMWC00205 dimmable DALI 24V<sub>DC</sub>  
driver max 100W x 2 pcs

Installazione downlight o uplight.  
Downlight or uplight mounting.





other CCT options  
available upon request



KITFASPULA000AV  
opzione fonoassorbente avorio /  
sound absorbing option ivory.



PL UL 1 090 LED h10 cm canopy  
PL UL 2 090 LED h25 cm canopy  
PL UL 1: kg 5,8 m³ 0,128  
PL UL 2: kg 6,3 m³ 0,128

 IP20  CRI90   LED

U-LIGHT / h10 cm or h25 cm ceiling lamp with canopy / DRIVER INCLUDED



3000K\*  
2700K upon request

LED 63W - diffused beam  
~5158 lm\* 82 lm/W\* source


100-240VAc

Colours  
AN anthracite / grey  
RU rust / brown





example composition code  
PL UL1 090 LED AN XX



altezze disponibili  
available heights



PL UL 1 090 LED h10 cm recessed  
PL UL 2 090 LED h25 cm recessed  
PL UL 1: kg 2,7 m³ 0,126  
PL UL 2: kg 3,1 m³ 0,126

 IP20  CRI90   LED

U-LIGHT / h10 cm or h25 cm recessed ceiling lamp / DRIVER NOT INCLUDED

3000K\*  
2700K upon request


LED 54W - diffused beam  
~5158 lm\* 95 lm/W\* source


24Vdc




Colours  
AN anthracite / grey  
RU rust / brown

example composition code  
PL UL1 090 LED AN IN


foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

 CEDMWC00202 dimmable 1-10V 24Vdc / driver max 80W





 CEDMWC00204 dimmable DALI 24Vdc / driver max 75W



altezze disponibili  
available heights



PL UL 1 120 LED h10 cm canopy  
PL UL 2 120 LED h25 cm canopy  
PL UL 1: kg 6,6 m³ 0,180  
PL UL 2: kg 7 m³ 0,180

 IP20  CRI90   LED

U-LIGHT / h10 cm or h25 cm ceiling lamp with canopy / DRIVER INCLUDED



3000K\*  
2700K upon request

LED 86W - diffused beam  
~7736 lm\* 90 lm/W\* source


100-240VAc

Colours  
AN anthracite / grey  
RU rust / brown

example composition code  
PL UL1 120 LED AN XX




altezze disponibili  
available heights







Installazione come plafoniera  
(downlight o uplight) oppure  
applique (con illuminazione verso  
la superficie di installazione).  
Application: both as ceiling  
(downlight or uplight mounting)  
or wall lamp (only wallward light).

other CCT options  
available upon request



KITFAPLULA090AV (canopy),  
KITFAPLUL090IAV (recessed)  
opzione fonoassorbente avorio /  
sound absorbing option ivory.

PL UL 1 120 LED h10 cm recessed  
PL UL 2 120 LED h25 cm recessed  
PL UL 1: kg 3,2 m³ 0,150  
PL UL 2: kg 3,6 m³ 0,150

 IP20  CRI90   LED

U-LIGHT / h10 cm or h25 cm recessed ceiling lamp / DRIVER NOT INCLUDED

3000K\*  
2700K upon request


LED 74W - diffused beam  
~7736 lm\* 104 lm/W\* source


24Vdc




Colours  
AN anthracite / grey  
RU rust / brown

example composition code  
PL UL1 120 LED AN IN


foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

 CEDMWC00203 dimmable 1-10V 24Vdc / driver max 100W

 CEDMWC00205 dimmable DALI 24Vdc / driver max 100W



altezze disponibili  
available heights



Installazione come plafoniera  
(downlight o uplight) oppure  
applique (con illuminazione verso  
la superficie di installazione).  
Application: both as ceiling  
(downlight or uplight mounting)  
or wall lamp (only wallward light).

other CCT options  
available upon request




KITFAPLULA120AV (canopy),  
KITFAPLUL120IAV (recessed)  
opzione fonoassorbente avorio /  
sound absorbing option ivory.

PLUL1160LEDANXX  
KITFAPLULA000AV

# u-light

Timo Ripatti

PL UL 1 160 LED h10 cm canopy  
PL UL 2 160 LED h25 cm canopy  
PL UL 1: kg 9,2 m³ 0,310  
PL UL 2: kg 9,6 m³ 0,310

IP20 CRI90  **LED**

U-LIGHT / h10 cm or h25 cm ceiling lamp with canopy / DRIVER INCLUDED


3000K\*  
2700K upon request

LED 125W - diffused beam  
~9025 lm\* 72 lm/W\* source


100-240VAc

Colours  
AN anthracite / grey  
RU rust / brown

example composition code  
PL UL1160 LED AN XX



PL UL 1 160 LED h10 cm recessed  
PL UL 2 160 LED h25 cm recessed  
PL UL 1: kg 5 m³ 0,280  
PL UL 2: kg 5,4 m³ 0,280

IP20 CRI90  **LED**

U-LIGHT / h10 cm or h25 cm recessed ceiling lamp / DRIVER NOT INCLUDED

3000K\*  
2700K upon request


LED 102W - diffused beam  
~9025 lm\* 88 lm/W\* source

24Vdc

Colours  
AN anthracite / grey  
RU rust / brown

example composition code  
PL UL1160 LED AN IN

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm





Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione). Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

other CCT options available upon request



KITFAPLULA000AV (canopy),  
KITFAPLUL000IAV (recessed)  
opzione fonoassorbente avorio /  
sound absorbing option ivory.

 **CEDMWC00202** dimmable 1-10V 24Vdc driver max 80W x 2 pcs  
 **CEDMWC00204** dimmable DALI 24Vdc driver max 75W x 2 pcs

# u-light

Timo Ripatti

PL UL 1 180 LED h10 cm canopy  
 PL UL 2 180 LED h25 cm canopy  
 PL UL 1: kg 6,6 m³ 0,180  
 PL UL 2: kg 7 m³ 0,180

IP20 CRI90 LED

U-LIGHT / h10 cm or h25 cm ceiling lamp with canopy / DRIVER INCLUDED


3000K\*  
 2700K upon request

LED 153W - diffused beam  
 ~10315 lm\* 67 lm/W\* source


100-240VAc

Colours  
 AN anthracite / grey  
 RU rust / brown


example composition code  
 PL UL1 180 LED AN XX



rosone standard / standard canopy



altezze disponibili  
 available heights



PLUL1090LEDRUXX  
 PLUL1160LEDRUXX  
 PLUL2120LEDRUXX



PL UL 1 180 LED h10 cm recessed  
 PL UL 2 180 LED h25 cm recessed  
 PL UL 1: kg 3,2 m³ 0,150  
 PL UL 2: kg 3,6 m³ 0,150

IP20 CRI90 LED

U-LIGHT / h10 cm or h25 cm recessed ceiling lamp / DRIVER NOT INCLUDED


3000K\*  
 2700K upon request

LED 123W - diffused beam  
 ~10315 lm\* 84 lm/W\* source


24Vdc

Colours  
 AN anthracite / grey  
 RU rust / brown


example composition code  
 PL UL1 180 LED AN IN



rosone incasso / recessed canopy  
 hole Ø 4,5 cm



altezze disponibili  
 available heights



foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

CEDMWC00203 dimmable 1-10V 24Vdc driver max 100W x 2 pcs  
 CEDMWC00205 dimmable DALI 24Vdc driver max 100W x 2 pcs

Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).  
 Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

other CCT options available upon request



KITFAPLULA000AV (canopy),  
 KITFAPLUL000IAV (recessed)  
 opzione fonoassorbente avorio /  
 sound absorbing option ivory.



S M L XL

# poses (system)



Axolight Lab

Con Poses, Axolight si pone l'obiettivo di consentire al progettista la creazione di innumerevoli forme geometriche piane (pose appunto), oltre che al trasporto e alla diffusione della luce nell'ambito di spazi interni attraverso l'uso di rette lineari e punti di giunzione.

Il concetto di Poses trae ispirazione dalle riletture di Euclide, matematico e filosofo greco antico che con il suo lavoro più noto, Elementi, una delle più influenti opere di tutta la storia della matematica, definisce concetti primitivi: il punto, la retta e il piano.

*With Poses, Axolight sets itself the goal of allowing the customer to create innumerable flat geometric shapes (poses in fact), as well as the transport and diffusion of light within interior spaces through the use of straight lines and junction points.*

*The concept of Poses is inspired by the reinterpretations of Euclid, an ancient Greek mathematician and philosopher who with his best known work, Elements, one of the most influential works in the entire history of mathematics, defines primitive concepts as the point, the line and the plane.*





3 x ACPOSES1421ONDW 2 x ACBLOCCACAVO01DW  
 2 x ACPOSES0821ONDW 8 x ACPIEDINO07XXDW  
 2 x ACPOSES0451ONDW 2 x ACCANOPYINO01BC  
 6 x ACSATXX12XXXDW 2 x ACCAVOEL2X001TR  
 2 x ACSATXX01XXXDW 2 x CEDMWC00203

## poses

Axolight Lab

Lampada componibile, da soffitto, muro e sospensione, che consente la creazione di innumerevoli forme geometriche.

Gli elementi che la compongono sono:


**barre lineari** (2,3 cm x 2,3 cm) di 3 differenti lunghezze che si innestano su **satelliti circolari** con coperchio di apertura/chiusura a calamita, per una semplicità di installazione e pulizia estetica.

Modular pendant, wall and ceiling fixture which allows the creation of countless geometrical shapes.

The basic elements of each composition are:

**lighting Linear profiles** (0.9 x 0.9 inches section) available in 3 different lengths which can be linked to **circular satellite elements**.

The connection is protected by a magnetic cover, resulting in an easy installation and an aesthetically pleasing look.



**Le barre lineari** possono contenere o non contenere la sorgente luminosa, sono rotabili a ~360° per permettere, quando luminose, un completo orientamento della luce.

**Le barre lineari non luminose** hanno una mera funzione architettonica e possono essere usate per il completamento delle forme geometriche desiderate.

**The linear elements** can be equipped with an LED light source or not, they can be rotated ~360° to allow orienting the light emission in the preferred direction (when equipped with the light source).


**Non-lighting linear profiles**, with a merely architectural function, which can be used to complete the desired geometrical shapes.

Le barre lineari sono installabili su 12 differenti punti del satellite circolare, al fine di ottenere svariati angoli e conseguenti forme geometriche.



The linear profiles can be installed in 12 different points of the circular satellites, thus obtaining different angles and consequently different geometries for the composition.

È possibile inserire fino a 4 barre lineari per satellite circolare.

Each satellite can host up to 4 different linear profiles.



10 x ACPOSES0821ONLA - 2 x ACPOSE0821OFFLA - 11 x ACSATXX12XXXLA - 2 x ACBLOCCACAVO01LA - 11 x ACCAVINOX0300CR  
 2 x ACCANOPYTO001LA - 2 x ACCAVOEL2X001TR - 2 x CEDMWC00203




satellite circolare con coperchio di apertura /chiusura a calamita  
 circular satellites with magnet cover




4 x ACPOSES0451ONGE  
 1 x ACPOSES0821ONER  
 2 x ACSATXX12XXXGGE  
 2 x ACSATXX12XXXER  
 2 x ACSATXX01XXXGGE  
 1 x ACBLOCCACAVO01GE  
 4 x ACPIEDINO07XXGE  
 2 x ACPIEDINO07XXER  
 1 x ACCANOPYIN001BC  
 1 x ACCAVOEL2X001TR  
 1 x CEDMWC00202

**poses**   
 Axolight Lab

**GENERAL INFORMATION**


 ETL in progress  
 EAC in progress

**COLOURS**





33 x ACPOSE0451ONDW - 16 x ACPOSE0821ONDW - 38 x ACSATXX12XXXXDW - 7 x ACBLOCCACAVO01DW - 38 x ACPIEDINO22XXDW  
7 x ACCANOPYIN001BC - 7 x ACCAVOEL2X001TR - 7 x CEDMWC00203




**Le barre lineari** possono contenere o non contenere la sorgente luminosa, sono rotabili a  $\sim 360^\circ$  per permettere, quando luminose, un completo orientamento della luce.

**The linear elements** can be equipped with an LED light source or not, they can be rotated  $\sim 360^\circ$  to allow orienting the light emission in the preferred direction (when equipped with the light source).

# poses componenti / components


**ACPOSES0451ON**  
kg 0,33



3000K\*  
2700K upon request

LED 9,3W - 24Vdc  
995lm\* source


**ACPOSES0821ON**  
kg 0,60



3000K\*  
2700K upon request

LED 17,2W - 24Vdc  
1840lm\* source


**ACPOSES1421ON**  
kg 1,04




3000K\*  
2700K upon request

LED 30,2W - 24Vdc  
3220lm\* source



**ACPOSE0451OFF**  
kg 0,33



**ACPOSE0821OFF**  
kg 0,60








**ACPOSE1421OFF**  
kg 1,04



**DRIVER NOT INCLUDED**

Colours  
DW desert white  
ER earth red  
LA laguna aqua  
GE greige

example composition code  
**ACPOSES0821ON ER**


-  **CEDMWC00202** dimmable 1-10V 24Vdc driver max 80W
-  **CEDMWC00203** dimmable 1-10V 24Vdc driver max 100W
-  **CEDMWC00204** dimmable DALI 24Vdc driver max 75W
-  **CEDMWC00205** dimmable DALI 24Vdc driver max 100W
-  **CEDMWC00206** dimmable 1-10V 24Vdc driver max 40W

Colours  
DW desert white  
ER earth red  
LA laguna aqua  
GE greige

example composition code  
**ACPOSE1421OFF LA**

# poses componenti / components


**ACSATXX01 (1 hole)**  
kg 0,25



Colours  
DW desert white  
ER earth red  
LA laguna aqua  
GE greige

example composition code  
**ACSATXX01 XX XX LA**


**ACSATXX12 (12 holes)**  
kg 0,23



Colours  
DW desert white  
ER earth red  
LA laguna aqua  
GE greige

example composition code  
**ACSATXX12 XX XX ER**

**ACPIEDINO07XX**  
kg 0,15



Colours  
DW desert white  
ER earth red  
LA laguna aqua  
GE greige

example composition code  
**ACPIEDINO07XX ER**

**ACPIEDINO22XX**  
kg 0,25



Colours  
DW desert white  
ER earth red  
LA laguna aqua  
GE greige

example composition code  
**ACPIEDINO22XX DW**

# poses componenti / components


**ACCANOPYRE001**  
kg 1,5



**Colours**  
DW desert white  
ER earth red  
LA laguna aqua  
GE greige

example composition code  
**ACCANOPYRE001 LA**


**ACCANOPYTO001**  
kg 2,5



**Colours**  
DW desert white  
ER earth red  
LA laguna aqua  
GE greige

example composition code  
**ACCANOPYTO001 ER**

**ACCANOPYIN001 (for recessed system)**  
kg 0,20



**Colours**  
BC white

foro - hole Ø 4,5cm / profondità min - min depth 10cm

example composition code  
**ACCANOPYIN001 BC**

**ACCAVOEL2X001**  
kg 0,13



Flexible electrical round cable with 2 conductors  
2 x 1,5 mm<sup>2</sup> (15 AWG) covered with fabric

Lunghezza / Length: multiples of the meter upon request

**Colours**  
AN anthracite grey  
BC white  
BR bronze  
TR transparent (not covered with fabric)

example composition code  
**ACCAVOEL2X001 BR**

**ACCAVOEL4X001**  
kg 0,22



Flexible electrical round cable with 4 conductors  
4 x 1,5mm<sup>2</sup> (15 AWG) covered with fabric


Lunghezza / Length: multiples of the meter upon request

**Colours**  
AN anthracite grey  
BC white  
BR bronze  
TR transparent (not covered with fabric)

example composition code  
**ACCAVOEL4X001 BC**

# poses componenti / components

**ACBLOCCACAV01**  
Kg 0,015



**Colours**  
DW desert white  
ER earth red  
LA laguna aqua  
GE greige

example composition code  
**ACBLOCCACAV01 DW**


**ACCAVINOX0300**  
kg 0,040



**Colours**  
CR chrome

example composition code  
**ACCAVINOX0300 CR**

**ACANGOLO90001**  
kg 0,17



**Colours**  
DW desert white  
ER earth red  
LA laguna aqua  
GE greige

example composition code  
**ACANGOLO90001 DW**




3 x ACPOSES1421ONLA - 3 x ACPOSES0821ONLA - 3 x ACPOSE0821OFFLA - 7 x ACSATXX12XXXXLA  
1 x ACBLOCCACAVO01LA - 7 x ACPIEDINO07XXLA - 1 x ACCANOPYIN001BC - 1 x ACCAVOEL4X001TR - 2 x CEDMWCO0203



S | M

# orchid

Rainer Mutsch



PTORCHIDBCXXLED / LTORCHIDBCXXLED  
SPORCHI4BCXXLED (up) / APORCHIDBCXXLED (down)  
SPORCHI3BCXXLED (up) / PLORCHIDBCXXLED (down)

PTORCHIDBCXXLED



# orchid


Rainer Mutsch

Collezione composta da lampade da parete, soffitto, sospensione, terra e tavolo in alluminio.  
Disponibile in tre colori.  
La sorgente luminosa è a LED integrato dimmerabile.

*Collection consisting of aluminium wall, ceiling, suspended, floor and table lamps.  
Available in three colours.  
Built-in dimmable LED light source.*

## GENERAL INFORMATION

### COLOURS




white

sand

anthracite grey

white canopy

**PT ORCHID**  
kg 13 m³ 0,2




184 cm

Ø 35 cm



**CE EAC** ETL in progress



**ORCHID / DIMMER INCLUDED**

#### Colours

**BC** white

**SA** sand

**AN** anthracite grey

3000K\*

2700K upon request

3500K upon request

**LED** 3 x 6.5W - diffuser beam  
3 x ~671 lm\* ~103 lm/W\* source

110-240Vac



example composition code  
**PT ORCHID AN XX LED**

SPORCHI4ANXXLED

# orchid

Rainer Mutsch

SP ORCHI 4  
kg 8 m³ 0,2



**Colours**  
BC white  
SA sand  
AN anthracite grey

3000K\*  
2700K upon request

LED 4 x 15W - diffused beam  
4 x ~1234 lm\* ~86 lm/W\* source

220-240VAC

example composition code  
SP ORCHI4 SA XX LED



SPORCHI3SAXXLED



# orchid

Rainer Mutsch

SP ORCHI 3  
kg 6 m³ 0,18



**Colours**  
BC white  
SA sand  
AN anthracite grey

3000K\*  
2700K upon request

LED 3 x 15W - diffused beam  
3 x ~1234 lm\* ~86 lm/W\* source

220-240VAC

example composition code  
SP ORCHI3 SA XX LED




LTORCHIDANXXLED




# orchid

Rainer Mutsch

LT ORCHID  
kg 2,5 m³ 0,07



CE ENEC ETL in progress



ORCHID / DIMMER INCLUDED

Colours  
BC white  
SA sand  
AN anthracite grey

3000K\*  
2700K upon request  
3500K upon request

LED 6,5W - diffuser beam  
~671 lm\* ~103 lm/W\* source

110-240Vac

example composition code  
LT ORCHID AN XX LED

LTORCHIDBCXXLED





PLORCHIDBCXXLED



# orchid

Rainer Mutsch

PL ORCHID  
kg 6 m³ 0,07



ORCHID / DIMMER INCLUDED

Colours  
BC white  
SA sand  
AN anthracite grey

3000K\*  
2700K upon request

LED 3 x 15W - diffused beam  
3 x ~1234 lm\* ~86 lm/W\* source

220-240VAC

example composition code  
PL ORCHID SA XX LED

PLORCHIDANXXLED







# orchid

Rainer Mutsch

**AP ORCHID**  
kg 1 m³ 0,02



**ORCHID / applicazione a soffitto o a parete**  
application: both as ceiling or wall lamp


**Colours**  
BC white  
SA sand  
AN anthracite grey

3000K\*  
2700K upon request

**LED 15W** - diffused beam  
~1234 lm\* ~86 lm/W\* source

220-240VAC

example composition code  
**AP ORCHID SA XX LED**



M

FADOD930BC48LED

# DoDot

Simone Micheli



FADOD930BC48LED



FADOD930CG48LED  
FADOD930BL48LED



# DoDot

Simone Micheli


Lampada da soffitto o parete con struttura metallica in alluminio e acciaio. Sorgente luminosa orientabile. LED integrato dimmerabile.

*Ceiling or wall lamp with metal frame in aluminum and steel. The lighting source can be adjusted. Built-in dimmable LED source.*


## GENERAL INFORMATION



## COLOURS




white blue black concrete green



mauve dust

**FA DOD9**  
kg 0,9 m³ 0,02



IP20 CRI:90 **LED**

30. 3000K\*  
27. 2700K

**Colours**  
BC wrinkled white  
BL blue  
NE black  
CG concrete greer  
MD mauve dust


beam - degrees 48° / 35° / 15°

**LED** 17,4 W  
~2100 lm\* 120 lm/W\* source


220-240VAC

example composition code  
FA DOD927 NE 48 LED


Compatibile con sistema Casambi su richiesta /  
Compatibility with Casambi system upon request



OPTIC-LENS 48°



OPTIC-REFLECTOR 35°



OPTIC-REFLECTOR 15°

# lik

S. & R. Cornelissen



## lik

S. & R. Cornelissen


Lampada da parete in alluminio disponibile in tre colori. Sorgente luminosa a LED integrato dimmerabile.

*Aluminium wall lamp available in three colours. Built-in dimmable LED.*

### GENERAL INFORMATION



### COLOURS




wrinkle white

matt bronze

matt nickel

AP LIK  
kg 0,5 m³ 0,02



IP20 CRI>90 **LED**

#### Colours

**BC** wrinkled white  
**BR** matt bronze  
**NI** matt nickel

3000K\*  
2700K upon request


diffused beam

**LED** 1 x 16,6W  
~ 1480 lm\* 89 lm/W\* source

220-240VAC

example composition code  
**AP LIKXXX BR XX LED**

APLIKXXXBRXXLED







# urban & urban mini

Dima Loginoff



## urban & urban mini

Dima Loginoff


Collezione composta da lampade a soffitto e sospensione in alluminio. Disponibile in tre colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

*Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in three colours and sizes. Built-in dimmable LED light source.*


### GENERAL INFORMATION

CE ETL in progress  
EAC in progress

### COLOURS



wrinkled white    matt bronze    matt nickel



standard canopy    recessed canopy

(from left to right)  
SPURBANP2XBCLCC / SPURBMIP2XBCLCC / SPURBMIG2XBRLCC  
SPURBMIP2XNILCC / SPURBMIM2XNILCC / SPURBANM2XBRLCC  
SPURBMIG2XNILCC / SPURBMIP2XBRLCC / SPURBMIM2XBCLCC






# urban

Dima Loginoff



## SP URBAN P

kg 1,9 m³ 0,02



## SP URBAN M

kg 2,3 m³ 0,025



**URBAN LCC / solo con illuminazione verso il basso / downward lighting only**

### DRIVER INCLUDED

1. 2700K
2. 3000K\*
3. 3500K

### Colours

BC wrinkled white  
BR matt bronze  
NI matt nickel


\*\*LED 17,5W - diffuser beam  
~2400 lm\* ~137 lm/W\* source

220-240VAC

example composition code  
SP URBANP 2X NI LCC


## SP URBAN P I (RECESSED) LCC

kg 1,7 m³ 0,02



## SP URBAN M I (RECESSED) LCC

kg 2,1 m³ 0,025



**URBAN LCC / solo con illuminazione verso il basso / downward lighting only**  
**DRIVER NOT INCLUDED**

1. 2700K
2. 3000K\*
3. 3500K

### Colours

BC wrinkled white  
BR matt bronze  
NI matt nickel


\*\*LED 17,5W - diffuser beam  
~2400 lm\* ~137 lm/W\* source

500mA - 34,7Vdc

example composition code  
SP URBANM I 3 NI LCC

foro - hole 1 x Ø 3 cm + 2 x Ø 1,4 cm  
profondità min - min depth 10 cm

CEDLTC00124 dimmable Phase Cut 500mA driver - Max 20W

 CEDLTC00126 dimmable DALI 500mA driver - Max 20W

CEDLTC00104 dimmable DALI 500mA driver - Max 35W

CEDLTC00128 dimmable 1-10V 500mA driver - Max 26,5W

### \*\* New LED / Nuovo LED

In case of temporary out of stock, a version with the following features will be available / In caso di momentanea irreperibilità sarà disponibile una versione con le seguenti caratteristiche:



3000K\*  
2700K available while stock last / fino ad esaurimento scorte

LED 15W - diffused beam  
~1275 lm\* ~85 lm/W\* source

220-240VAC


PLURBANM2XBCLCC  
PLURBANG2XBCLCC





# urban

Dima Loginoff

**PL URBAN P**  
kg 1,6 m³ 0,02



  IP20 CRI90 **LED**

**URBAN LCC / solo con illuminazione verso il basso / downward lighting only**  
**DRIVER NOT INCLUDED**

1. 2700K
2. 3000K\*
3. 3500K


**Colours**  
**BC** wrinkled white  
**BR** matt bronze  
**NI** matt nickel

**\*\*LED** 17,5W - diffuser beam  
~2400 lm\* ~137 lm/W\* source

500mA - 34,7Vdc

example composition code  
**PL URBANP 2X NI LCC**


**CEDLTC00124** dimmable Phase Cut 500mA driver - Max 20W

 **CEDLTC00126** dimmable DALI 500mA driver - Max 20W


**CEDLTC00104** dimmable DALI 500mA driver - Max 35W



**CEDLTC00128** dimmable 1-10V 500mA driver - Max 26,5W

**PL URBAN M**  
kg 1,3 m³ 0,02



**PL URBAN G**  
kg 1,7 m³ 0,025



  IP20 CRI90 **LED**

**URBAN LCC / solo con illuminazione verso il basso / downward lighting only**

**DRIVER INCLUDED**

1. 2700K
2. 3000K\*
3. 3500K

**Colours**  
**BC** wrinkled white  
**BR** matt bronze  
**NI** matt nickel

**\*\*LED** 17,5W - diffuser beam  
~2400 lm\* ~137 lm/W\* source

220-240VAC

example composition code  
**PL URBANP 2X NI LCC**

## \*\* New LED / Nuovo LED

In case of temporary out of stock, a version with the following features will be available / In caso di momentanea irreperibilità sarà disponibile una versione con le seguenti caratteristiche:



3000K\*  
2700K available while stock last /  
fino ad esaurimento scorte

**LED** 15W - diffused beam  
~1275 lm\* ~85 lm/W\* source

220-240VAC

PLURBANP2XBCLCC




SPURBMIGI2BRLCC  
SPURBMIP2NILCC  
SPURBMIMI2NILCC




# urban mini

Dima Loginoff



**SP URBMI P**  
kg 0,5 m³ 0,004



**SP URBMI M**  
kg 0,7 m³ 0,02



**SP URBMI G**  
kg 1 m³ 0,025



**URBAN mini LCC / solo con illuminazione verso il basso / downward lighting only**

**DRIVER INCLUDED**

1. 2700K
2. 3000K\*
3. 3500K


**Colours**  
BC wrinkled white  
BR matt bronze  
NI matt nickel

**\*\*LED** 6,5W - diffuser beam  
~671 lm\* ~103 lm/W\* source



220-240VAC

example composition code  
SP URBAMI M 2X BC LCC

**SP URBMI PI (RECESSED)**  
kg 0,5 m³ 0,004



**SP URBMI MI (RECESSED)**  
kg 0,7 m³ 0,02



**URBAN mini LCC / solo con illuminazione verso il basso / downward lighting only**  
**COMPATIBLE WITH PIVOT SYSTEM / DRIVER NOT INCLUDED**

1. 2700K
2. 3000K\*
3. 3500K

**Colours**  
BC wrinkled white  
BR matt bronze  
NI matt nickel


**\*\*LED** 6,5W - diffuser beam  
~671 lm\* ~103 lm/W\* source

700mA - 9,2Vdc

example composition code  
SP URBMI G 12 BC LCC

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

**SP URBMI GI (RECESSED)**  
kg 1 m³ 0,025



- CEDLTC00124** dimmable Phase Cut 700mA driver  
Max 20W trailing and leading edge
- CEDLTC00127** dimmable 0/1 - 10V - Push - 700mA driver  
- Max 9W
- CEDLTC00126** dimmable DALI 700mA driver - Max 20W
- CEDLTC00104** dimmable DALI 700mA driver - Max 50W

**\*\* New LED / Nuovo LED**

In case of temporary out of stock, a version with the following features will be available / In caso di momentanea irreperibilità sarà disponibile una versione con le seguenti caratteristiche:



3000K\*  
2700K available while stock last / fino ad esaurimento scorte

**LED** 8W - diffused beam  
~640 lm\* ~80 lm/W\* source

220-240VAC




PLURBMIM2XBCLCC  
PLURBMIG2XBCLCC

# urban mini

Dima Loginoff

**PL URBMI P**  
kg 0,4 m³ 0,004



IP20 CRI90 **LED**

**URBAN mini LCC / solo con illuminazione verso il basso / downward lighting only**  
**DRIVER NOT INCLUDED**

1. 2700K
2. 3000K\*
3. 3500K

**Colours**  
**BC** wrinkled white  
**BR** matt bronze  
**NI** matt nickel

**\*\*LED** 6,5W - diffuser beam  
~671 lm\* ~103 lm/W\* source

700mA - 9,2Vdc

example composition code  
**PL URBMI P 2X BC LCC**


**CEDLTC00124** dimmable Phase Cut 700mA driver - Max 20W trailing and leading edge

**CEDLTC00127** dimmable 0/1 - 10V - Push - 700mA driver - Max 9W


**CEDLTC00126** dimmable DALI 700mA driver - Max 20W

**CEDLTC00104** dimmable DALI 700mA driver - Max 50W

**PL URBMI M**  
kg 0,5 m³ 0,02



**PL URBMI G**  
kg 0,8 m³ 0,025



IP20 CRI90 **LED**

**URBAN mini LCC / solo con illuminazione verso il basso / downward lighting only**

**DRIVER INCLUDED**

1. 2700K
2. 3000K\*
3. 3500K

**Colours**  
**BC** wrinkled white  
**BR** matt bronze  
**NI** matt nickel

**\*\*LED** 6,5W - diffuser beam  
~671 lm\* ~103 lm/W\* source

220-240VAC

example composition code  
**PL URBMI P 2X BC LCC**

## \*\* New LED / Nuovo LED

In case of temporary out of stock, a version with the following features will be available / In caso di momentanea irreperibilità sarà disponibile una versione con le seguenti caratteristiche:



3000K\*  
2700K available while stock last /  
fino ad esaurimento scorte

**LED** 8W - diffused beam  
~640 lm\* ~80 lm/W\* source

220-240VAC





# ego

Axolight Lab




ego  
Axolight lab

Lampada da soffitto o parete con struttura metallica in ottone naturale. Sorgente luminosa orientabile. LED integrato dimmerabile.

*Ceiling or wall lamp with natural brass frame. Adjustable lighting source. Built-in dimmable LED.*



## GENERAL INFORMATION

### COLOURS



natural brass

**FA EGO X 30**  
kg 0,5 m³ 0,004



**Colours**  
OT natural brass

~30° beam - degree

3000K

**LED** 1 x 8,8 W - 250 mA, 35,2 Vdc  
~1220 lm 139 lm/W source

example composition code  
FA EGOX30 OT XX LED


**CEDLTC00123** on/off 250mA driver - Max 10W

**CEDLTC00124** dimmable Phase Cut 250mA driver - Max 12W


**CEDLTC00125** dimmable DALI 1-10V & PUSH 250mA driver - Max 28W

**CEDLTC00126** dimmable DALI 250mA driver - Max 12W

**FA EGO P 30**  
kg 0,5 m³ 0,004



**CE** ETL in progress  
EAC in progress



**Colours**  
OT natural brass

~30° beam - degree

3000K\*  
4000K available while stock last / fino ad esaurimento scorte

**LED** 1 x 3,2 W - 350 mA, 9 Vdc  
~310 lm\* 96 lm/W\* source

example composition code  
FA EGOP30 OT XX LED

**CEDLTC00100** on/off 350mA driver - Max 8W

**CEDLTC00101** on/off 350mA driver - Max 12W

**CEDLTC00103** dimmable 1-10V 350mA driver - Max 25W

**CEDLTC00104** dimmable DALI 350mA driver - Max 25W

# virtus

Manuel Vivian



## virtus

Manuel Vivian

Collezione composta da lampade a sospensione in alluminio in vari colori. Disponibile anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

*Collection consisting of suspended lamps in aluminium, also in a recessed version. Available in several colours. Built-in dimmable LED light source.*

### GENERAL INFORMATION

#### COLOURS




white for white version

matt white RAL 9016 wrinkled

anthracite grey wrinkled / final black polished nickel

anthracite grey wrinkled / final polished gold



anthracite grey for anthracite version

rust brown for rust brown version

white for recessed versions


rust brown wrinkled / final black polished nickel

rust brown wrinkled / final polished gold






E210112  
kg 0,89 m³ 0,015



CE EAC ETL in progress



IP20 CRI90 LED

VIRTUS / LED 3,2W / DRIVER INCLUDED

**Finish**

- 07 matt white RAL 9016 wrinkled
- 10 anthracite grey wrinkled / final black polished nickel
- 11 anthracite grey wrinkled / final polished gold
- 12 rust brown wrinkled / final black polished nickel
- 13 rust brown wrinkled / final polished gold

- 1. 3000K\*
- 2. 4000K available while stock last / fino ad esaurimento scorte

~295 lm\* ~92 lm/W\* source

220-240VAC


example composition code

E 2 101 1 11 1 2


optional accessories

E000700900 Kit decentramento bianco Ø 2,2 x 2 cm / White decentralization kit Ø 2,2 x 2 cm.

E21014  
kg 0,89 m³ 0,015



CE EAC ETL in progress



IP20 CRI90 LED

VIRTUS RECESSED / LED 3,2W / DRIVER NOT INCLUDED

**Finish**

- 07 matt white RAL 9016 wrinkled
- 10 anthracite grey wrinkled / final black polished nickel
- 11 anthracite grey wrinkled / final polished gold
- 12 rust brown wrinkled / final black polished nickel
- 13 rust brown wrinkled / final polished gold

- 1. 3000K\*
- 2. 4000K available while stock last / fino ad esaurimento scorte

~295 lm\* ~92 lm/W\* source

350mA - 9Vdc

example composition code

E 2 101 1 11 1 2

foro - hole Ø 5,5 cm / profondità min - min depth 10 cm - Collegare in serie. / Wire in series.

E000700900 Kit decentramento bianco Ø 2,2 x 2 cm / White decentralization kit Ø 2,2 x 2 cm.

CEDLTC00100 on/off 350mA driver - Max 8W

CEDLTC00101 on/off 350mA driver - Max 12W

CEDLTC00102 dimmable 1-10V & PUSH 350mA driver - Max 6W

CEDLTC00103 dimmable 1-10V 350mA driver - Max 25W

CEDLTC00104 dimmable DALI 350mA driver - Max 25W


CEDLLG00302 on/off 350mA driver - Max 6W

CEDLLG00303 on/off 350mA driver - Max 12W

E21011X  
kg 0,89 m³ 0,015



CE ETL in progress  
EAC in progress



IP20 CRI90 LED

VIRTUS / LED 6,5W / DRIVER INCLUDED

**Finish**

- 07 matt white RAL 9016 wrinkled
- 10 anthracite grey wrinkled / final black polished nickel
- 11 anthracite grey wrinkled / final polished gold
- 12 rust brown wrinkled / final black polished nickel
- 13 rust brown wrinkled / final polished gold

- 1. 2700K
- 2. 3000K\*
- 3. 3500K

LED 6,5W

~671 lm\* ~103 lm/W\* source

220-240VAC


example composition code

E 2 101 1 11 1 X

optional accessories

E000700900 Kit decentramento bianco Ø 2,2 x 2 cm / White decentralization kit Ø 2,2 x 2 cm.

E21014X  
kg 0,89 m³ 0,015



CE ETL in progress  
EAC in progress



IP20 CRI90 LED

VIRTUS RECESSED / LED 6,5W / COMPATIBLE WITH PIVOT SYSTEM / DRIVER NOT INCLUDED

**Finish**

- 07 matt white RAL 9016 wrinkled
- 10 anthracite grey wrinkled / final black polished nickel
- 11 anthracite grey wrinkled / final polished gold
- 12 rust brown wrinkled / final black polished nickel
- 13 rust brown wrinkled / final polished gold

- 1. 2700K
- 2. 3000K\*
- 3. 3500K

LED 6,5W

~671 lm\* ~103 lm/W\* source

700mA - 9,2Vdc

example composition code

E 2 101 4 11 1 X

foro - hole Ø 5,5 cm / profondità min - min depth 10 cm - Collegare in serie. / Wire in series.

E000700900 Kit decentramento bianco Ø 2,2 x 2 cm / White decentralization kit Ø 2,2 x 2 cm.

CEDLTC00124 dimmable Phase Cut 700mA driver - Max 20W trailing and leading edge

CEDLTC00127 dimmable 0/1 - 10V - Push - 700mA driver - Max 9W


CEDLTC00126 dimmable DALI 700mA driver - Max 20W

CEDLTC00104 dimmable DALI 700mA driver - Max 50W

# liaison

Sara Moroni

S M L XL



## liaison

Sara Moroni

Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

*Collection consisting of metal suspended lamps. Available in several colors and sizes. Built-in dimmable LED light source.*

### GENERAL INFORMATION



DRIVER INCLUDED \*EXCEPT FOR THE RECESSED VERSION

### FINISHINGS FINITURE



black / matt gold  
nero / oro opaco



matt gold / black  
oro opaco / nero




black / black  
nero / nero


# liaison

Sara Moroni


**SP LIAI P 1**  
kg 1,766 m³ 0,05



**SP LIAI M 1**  
kg 2,181 m³ 0,09



**SP LIAI G 1**  
kg 2,448 m³ 0,16



**Arch / Final & sphere finishes**  
NE black / NE black  
NE black / OO matt gold  
OO matt gold / NE black

3000K\*  
2700K upon request


optic ~40° beam

LED 1 x 6,7W  
~ 671 lm\* ~ 100 lm/W\* source


220-240VAC

example composition code  
**SP LIAI P 1 NE NE LED**


**SP LIA P 1 (RECESSED)\***  
kg 1,5 m³ 0,05




**SP LIA M 1 (RECESSED)\***  
kg 1,9 m³ 0,09



**SP LIA G 1 (RECESSED)\***  
kg 2,2 m³ 0,16



 EAC in progress

**LIAISON - COMPATIBLE WITH PIVOT SYSTEM / DRIVER NOT INCLUDED**

**Arch / Final & sphere finishes**  
NE black / NE black  
NE black / OO matt gold  
OO matt gold / NE black

3000K\*  
2700K upon request

optic ~40° beam

LED 1 x 6,7W  
~ 671 lm\* ~ 100 lm/W\* source





700mA - 9,4Vdc


example composition code  
**SP LIA P 1 NE NE LED**

foro - hole: 1 x Ø 3 cm + 2 x Ø 1,4 cm  
profondità min - min depth 10 cm

SPLIAIP1NEOLED

optional accessories for recessed versions

-  **CEDLTC00124** dimmable Phase Cut 700mA driver - Max 20W trailing and leading edge
-  **CEDLTC00127** dimmable 0/1 - 10V - Push - 700mA driver - Max 9W
-  **CEDLTC00126** dimmable DALI 700mA driver - Max 20W
-  **CEDLTC00104** dimmable DALI 700mA driver - Max 50W



Project: FOLIE London Studio KO 2019 Photo: Yann Deret-2521


SPLIAM2NEOOLED




# liaison

Sara Moroni


**SP LIAI P 2**  
kg 2,549 m<sup>3</sup> 0,05



**SP LIAI M 2**  
kg 2,673 m<sup>3</sup> 0,09



**SP LIAI G 2**  
kg 2,734 m<sup>3</sup> 0,16



Arch / Final & sphere finishes  
NE black / NE black  
NE black / OO matt gold  
OO matt gold / NE black

3000K\*  
2700K upon request

optic ~40° beam

LED 2 x 6,7W  
~ 1342 lm\* ~ 100 lm/W\* source

220-240VAC

example composition code  
SP LIAI P 2 NE NE LED






SPLIAIM4OONELED




# liaison ○○○

Sara Moroni


**SP LIAI P 4**  
kg 5,697 m<sup>3</sup> 0,11



**SP LIAI M 4**  
kg 5,945 m<sup>3</sup> 0,1



**SP LIAI G 4**  
kg 6,068 m<sup>3</sup> 0,2



**Arch / Final & sphere finishes**  
NE black / NE black  
NE black / OO matt gold  
OO matt gold / NE black

3000K\*  
2700K upon request


optic ~40° beam

**LED 4 x 6,7W**  
~ 2684 lm\* ~ 100 lm/W\* source


220-240VAC

example composition code  
**SP LIAI P 4 NE NE LED**


**SP LIAI P 8**  
kg 7,914 m<sup>3</sup> 0,11



**SP LIAI M 8**  
kg 8,41 m<sup>3</sup> 0,24



**SP LIAI G 8**  
kg 8,656 m<sup>3</sup> 0,36



**Arch / Final & sphere finishes**  
NE black / NE black  
NE black / OO matt gold  
OO matt gold / NE black

3000K\*  
2700K upon request

optic ~40° beam

**LED 8 x 6,7W**  
~ 5368 lm\* ~ 100 lm/W\* source

220-240VAC

example composition code  
**SP LIAI P 8 NE NE LED**

SPLIAG8NEOOLED




SPLIADG2NEOLED


# liaison

Sara Moroni


**SP LIAD P 2**  
kg 3,678 m³ 0,07



**SP LIAD M 2**  
kg 4,12 m³ 0,09



**SP LIAD G 2**  
kg 4,28 m³ 0,16



Arch / Final & sphere finishes  
NE black / NE black  
NE black / OO matt gold  
OO matt gold / NE black

3000K\*  
2700K upon request

optic ~40° beam

LED 2 x 6,7W  
~ 1342 lm\* ~ 100 lm/W\* source

220-240VAC

example composition code  
SP LIAD P 2 NE NE LED


Project: Zanette Photo: Daniele Di Pietro per Riccardo Munari in Studio

SPLIADG8NEOOLED




Project: GAO Architects Photo: Miran Kambić


**SP LIAD P 4**  
kg 7,355 m<sup>3</sup> 0,09



**SP LIAD M 4**  
kg 8,241 m<sup>3</sup> 0,24



**SP LIAD G 4**  
kg 8,559 m<sup>3</sup> 0,17



Arch / Final & sphere finishes  
NE black / NE black  
NE black / OO matt gold  
OO matt gold / NE black

3000K\*  
2700K upon request


optic ~40° beam

LED 4 x 6,7W  
~ 2684 lm\* ~ 100 lm/W\* source


220-240VAC

example composition code  
SP LIAD P 4 NE NE LED


**SP LIAD P 8**  
kg 10,631 m<sup>3</sup> 0,09



**SP LIAD M 8**  
kg 12,401 m<sup>3</sup> 0,24



**SP LIAD G 8**  
kg 13,039 m<sup>3</sup> 0,17



Arch / Final & sphere finishes  
NE black / NE black  
NE black / OO matt gold  
OO matt gold / NE black


3000K\*  
2700K upon request

optic ~40° beam

LED 8 x 6,7W  
~ 5368 lm\* ~ 100 lm/W\* source

220-240VAC

example composition code  
SP LIAD P 8 NE NE LED




M | L

PLHOOPS2ORORLED  
SPHOOPS2NENELED

# hoops

Giovanni Barbato



## hoops

Giovanni Barbato


Collezione composta da lampade da soffitto e sospensione con elementi intercambiabili di diverse forme e dimensioni. Finitura dorata, nera o bianca. Sorgente luminosa a LED integrato dimmerabile. Le lampade a sospensione prevedono un'illuminazione diretta ed indiretta.

*Collection consisting of ceiling and suspended lamps with interchangeable elements in different shapes and sizes. Gold, black finish. Built-in dimmable LED light source. The suspended lamps can illuminate upward and downward.*

### GENERAL INFORMATION



### COLOURS



white

gold

gold canopy


black



black canopy

white canopy

SPHOOPS6ORORLED



SPHOOPS2NELED





Project: Wundercameralab Photo: Spazio Entropia

SPHOOPS3BCBCLED





**SP HOOPS 2**  
kg 5,7 m³ 0,43



**HOOPS / con illuminazione verso alto e basso /  
with upward and downward lighting**

**Colours / Finish**  
BC white / BC white  
NE black / NE black  
OR gold / OR gold



3000K  
2700K upon request

**LED** 34W - diffuser beam  
~2660 lm 78 lm/W source

220-240VAC

example composition code  
**SP HOOPS2 OR OR LED**

**SP HOOPS 3**  
kg 5,8 m³ 0,43



**HOOPS / con illuminazione verso alto e basso /  
with upward and downward lighting**

**Colours / Finish**  
BC white / BC white  
NE black / NE black  
OR gold / OR gold



3000K  
2700K upon request

**LED** 34W - diffuser beam  
~2660 lm 78 lm/W source

220-240VAC

example composition code  
**SP HOOPS3 OR OR LED**

**SP HOOPS 4**  
kg 7,1 m³ 0,43



**HOOPS / con illuminazione verso alto e basso /  
with upward and downward lighting**

**Colours / Finish**  
BC white / BC white  
NE black / NE black  
OR gold / OR gold



3000K  
2700K upon request

**LED** 34W - diffuser beam  
~2660 lm 78 lm/W source

220-240VAC

example composition code  
**SP HOOPS4 OR OR LED**

**SP HOOPS 6**  
kg 7,7 m³ 0,43



**HOOPS / con illuminazione verso alto e basso /  
with upward and downward lighting**

**Colours / Finish**  
BC white / BC white  
NE black / NE black  
OR gold / OR gold


3000K  
2700K upon request

**LED** 34W - diffuser beam  
~2660 lm 78 lm/W source

220-240VAC

example composition code  
**SP HOOPS6 OR OR LED**

SPHOOPS2NELED



La sospensione Hoops include due sorgenti luminose che consentono una simultanea emissione, diretta e indiretta, della luce.

*The Hoops suspension lamp includes two light sources that allow simultaneous direct and indirect light emission*


PLHOOPS3BCBCLED




# hoops


Giovanni Barbato

**PL HOOPS 2**  
kg 3,7 m³ 0,43



**PL HOOPS 3**  
kg 4 m³ 0,43



 IP20 CRI90 **LED**

**Colours / Finish**  
BC white / BC white  
NE black / NE black  
OR gold / OR gold

3000K  
2700K upon request

**LED** 17W - diffuser beam  
~1330 lm 78 lm/W source

220-240VAC

example composition code  
**PL HOOPS2 NE NE LED**







# alysoid

Ryosuke Fukusada

## alysoid

Ryosuke Fukusada

Collezione di lampade a sospensione in alluminio.  
Disponibile in diverse finiture e dimensioni.  
La sorgente luminosa è a LED integrato dimmerabile.

*Collection consisting of aluminium suspended lamps.  
Available in different finishings and sizes.  
Built-in dimmable LED light source.*

### GENERAL INFORMATION



### COLOURS




anthracite grey wrinkled /  
chains: black polished nickel


anthracite grey wrinkled /  
chains: natural brass

anthracite grey canopy


**SP ALYS 34**  
kg 2,5 m² 0,04





**SP ALYS 43**  
kg 3,2 m² 0,06



**SP ALY 51 P**  
kg 3,7 m² 0,11



**SP ALY 51 G**  
kg 4,5 m² 0,11



**Colours**  
AN anthracite grey wrinkled

**Catene / chain**  
NI black polished nickel  
OT natural brass

3000K\*  
2700K upon request

**LED** 15W - diffused beam  
~1234 lm\* ~86 lm/W\* source

220-240VAc

example composition code  
SP ALYS34 AN OT LED



M | L | XL

SPMAN070GRXXLED

# manto

Daide Besozzi




## manto

Davide Besozzi


Collezione di lampade a sospensione con struttura metallica in alluminio e acciaio.  
Diffusore in vetro soffiato e tessuto elastico removibile e lavabile. Il diffusore è regolabile nella posizione in altezza. Disponibile in tre dimensioni. Sorgente luminosa a LED integrato dimmerabile.

*Collection consisting of aluminum and steel suspended lamps. Blown opaline glass and elastic removable and washable fabric diffuser. The height position of the diffuser can be adjusted. Available in three sizes. Built-in dimmable LED light source.*

## GENERAL INFORMATION





## COLOURS





white fabric and light grey finishings





**SP MAN 070**  
kg 4,36 m<sup>2</sup> 0,382



**SP MAN 120**  
kg 6,27 m<sup>2</sup> 0,194



**SP MAN 180**  
kg 9,23 m<sup>2</sup> 0,475



**SP MAN 070**

Colours / Finish  
GR light grey / XX

3000K\*  
2700K, 3500K upon request

LED 15,3 W diffused beam  
~1924 lm\* ~125 lm/W\* source

100-277VAc

example composition code  
SP MAN070 GR XX LED

**SP MAN 120**

Colours / Finish  
GR light grey / XX

3000K\*  
2700K, 3500K upon request

LED 21 W diffused beam  
~2438 lm\* ~116 lm/W\* source

100-277VAc

example composition code  
SP MAN120 GR XX LED

**SP MAN 180**

Colours / Finish  
GR light grey / XX

3000K\*  
2700K, 3500K upon request

LED 24,6 W diffused beam  
~2911 lm\* ~118 lm/W\* source

100-277VAc

example composition code  
SP MAN180 GR XX LED

SPMAN120GRXXLED



SPMAN120GRXXLED




SPMAN120GRXXLED



# kwic

S. & R. Cornelissen



# kwic

S. & R. Cornelissen

Collezione di lampade a soffitto/parete, sospensione e terra con struttura metallica in alluminio e acciaio. Diffusore in vetro soffiato opalino. Disponibile in tre colori e due dimensioni. Sorgente luminosa a LED integrato dimmerabile.


*Collection consisting of steel and aluminum ceiling/wall lamps, suspended and floor lamps with opaline blown glass diffuser. Available in three colours and two sizes. Built-in dimmable LED light source.*

Data la lavorazione artigianale del prodotto ed il particolare processo di finitura, sempre manuale, è possibile riscontrare diversi aspetti e tonalità di finitura tra un prodotto e l'altro che devono essere ritenuti un pregio assoluto del prodotto.

*Considering the craftsmanlike manufacturing of the product and the special finishing process, always by hand, you may find different appearances and shades between one product and another and they are to consider as absolute distinction of the item.*

## GENERAL INFORMATION



### COLOURS



intense black    trasparente bronze    white



**PL KWIC 36**  
kg 1,9 m³ 0,065



**Colours**  
NE intense black  
BR trasparente bronze  
BC white

**Finishings**  
XX



3000K\*  
2700K, 3500K upon request

**LED** 18 W diffused beam  
~2255 lm\* ~125 lm/W\* source

110-240Vac

example composition code  
**PL KWIC36 NE XX LED**

**PL KWIC 48**  
kg 2,25 m³ 0,074



**Colours**  
NE intense black  
BR trasparente bronze  
BC white

**Finishings**  
XX

3000K\*  
2700K, 3500K upon request

**LED** 18 W diffused beam  
~2255 lm\* ~125 lm/W\* source


110-240Vac

example composition code  
**PL KWIC48 NE XX LED**

# kwic

S. & R. Cornelissen

**SP KWIC 36**  
kg 2,25 m³ 0,065



**Colours**  
NE intense black  
BR trasparente bronze


**Finishings**  
XX

3000K\*  
2700K, 3500K upon request


**LED** 18 W diffused beam  
~2255 lm\* ~125 lm/W\* source

110-240Vac

example composition code  
**SP KWIC36 NE XX LED**



**SP KWIC 48**  
kg 3,2 m³ 0,074



**Colours**  
NE intense black  
BR trasparente bronze


**Finishings**  
XX

3000K\*  
2700K, 3500K upon request

**LED** 18 W diffused beam  
~2255 lm\* ~125 lm/W\* source


110-240Vac

example composition code  
**SP KWIC48 NE XX LED**



SPKWIC48NEXXLED

Project: Vadim Matevosyants









PTKWIC36NEXXLED

kwic

S. & R. Cornelissen

PT KWIC 36  
kg 10,1 m³ 0,126

CE EAC ETL in progress

  IP20  CRI>90  LED

**Colours**  
NE intense black  
BR trasparente bronze

**Finishings**  
XX

3000K\*  
2700K, 3500K upon request

**LED** 18 W diffused beam  
~2255 lm\* ~125 lm/W\* source

110-240Vac

example composition code  
PT KWIC36 NE XX LED



L

# mountain view

Dima Loginoff





# mountain view

Dima Loginoff

Lampada a sospensione realizzata in vetro soffiato trasparente disponibile in vari colori.  
Sorgente luminosa a LED integrato dimmerabile.

*Suspended lamp made of transparent blown glass, available in several colours. Built-in dimmable LED light source.*

Data la speciale lavorazione artigianale del prodotto, sempre manuale, è possibile riscontrare diversi aspetti e tonalità di finitura tra un prodotto e l'altro che devono essere ritenuti un pregio assoluto del prodotto.


*Considering the special craftsmanlike manufacturing, always by hand, you may find different appearances and shades between one product and another and they are to consider as absolute distinction of the item.*

## GENERAL INFORMATION



DRIVER INCLUDED

## COLOURS




crystal /  
chrome

crystal / gold

amber / gold

grey / chrome




chrome  
canopy

gold canopy



SP MOUNTA  
kg 16 m<sup>3</sup> 0,22



IP20 CRI>90 **LED**

Colours / Finish  
CS / CR crystal / chrome  
CS / OR crystal / gold  
AM / OR amber / gold  
GR / CR grey / chrome

3000K

LED 1 x 18W  
~ 2285 lm 127 lm/W source

220-240VAC

example composition code  
SP MOUNTA AM OR LED



S M L

SPFAIRYXGRCRLED

## fairy

Manuel Vivian

Collezione composta da faretti, lampade da parete, soffitto e sospensione con struttura in metallo e diffusore in cristallo. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato, dimmerabile per alcuni articoli.

*Collection consisting of recessed downlights, wall, ceiling and suspended lamps with metal frame and glass diffuser. Available in several colours and sizes. Built-in (dimnable for some versions) LED light source.*



## GENERAL INFORMATION




## COLOURS



crystal

amber

grey




chrome finish

chrome recessed canopy

chrome canopy

white canopy for 12 R, 12 and 18 versions

**SP FAIRYX**  
kg 1,7 m³ 0,015



IP20 CRI90 **LED**

**FAIRY / DRIVER INCLUDED**

## Colours / Finish

CS crystal / CR chrome

AM amber / CR chrome

GR grey / CR chrome

2700K


**LED** 5,9W - diffused beam  
~717 lm ~121 lm/W source

100-240VAc

example composition code

**SP FAIRYX CS CR LED**

**SP FAIRY I (RECESSED)**  
kg 1,2 m³ 0,015



IP20 CRI90 **LED**

**FAIRY / DRIVER NOT INCLUDED**

## Colours / Finish

CS crystal / CR chrome

AM amber / CR chrome

GR grey / CR chrome

2700K


**LED** 5,9W - 350mA - 17Vdc  
~717 lm ~121 lm/W source  
diffused beam

example composition code

**SP FAIRY I CS CR LED**

foro - hole Ø 5,5 cm / profondità min - min depth 10 cm - Collegare in serie. / Wire in series.

**CEDLTC00100** standard 350mA driver - Max 8W

 **CEDLTC00103** dimmable 1-10V 350mA driver - Max 25W

**CEDLTC00104** dimmable DALI 350mA driver - Max 25W

# fairy





Manuel Vivian

SPFAI12RCRLED

# fairy

Manuel Vivian

SP FAI 12 R  
kg 14,5 m<sup>3</sup> 0,16

FAIRY / DRIVER INCLUDED


Colours / Finish  
CS crystal / CR white + chrome  
AM amber / CR white + chrome  
GR grey / CR white + chrome

2700K

LED 12 x 5,9W - diffused beam  
12 x ~717 lm ~121 lm/W source

110-240Vac

example composition code  
SP FAI12R GR CR LED



SPFAI12RAMCRLED






# fairy

Manuel Vivian

**SP FAIR 12**  
kg 14,5 m³ 0,17

 **IP20 CRI90 LED**

**FAIRY / DRIVER INCLUDED**



**Colours / Finish**  
CS crystal / CR white + chrome  
AM amber / CR white + chrome  
GR grey / CR white + chrome

2700K


**LED** 12 x 5,9W - diffused beam  
12 x ~717 lm ~121 lm/W source

110-240Vac

example composition code  
**SP FAIR 12 GR CR LED**



**SP FAIR 18**  
kg 20,1 m³ 0,28

 **IP20 CRI90 LED**

**FAIRY / DRIVER INCLUDED**



**Colours / Finish**  
CS crystal / CR white + chrome  
AM amber / CR white + chrome  
GR grey / CR white + chrome

2700K

**LED** 18 x 5,9W - diffused beam  
18 x ~717 lm ~121 lm/W source

110-240Vac

example composition code  
**SP FAIR 18 GR CR LED**



optional accessories:

kg 1,2 - m³ 0,034 - Ø 60 cm  
Anello per composizione personalizzata.  
Elementi di bloccaggio inclusi. /  
Ring for customised composition.  
Fastening elements included.

**ANELLOFAIRY060X**

kg 2 - m³ 0,093 - Ø 100 cm  
Anello per composizione personalizzata.  
Elementi di bloccaggio inclusi. /  
Ring for customised composition.  
Fastening elements included.

**ANELLOFAIRY100X**

Sugeriamo l'uso di entrambi gli anelli da Ø 60 e Ø 100 cm per la creazione di composizioni personalizzate. / We suggest the use of both the Ø 60 e Ø 100 cm rings together when creating customised compositions.



SPFAIR18CSCRLED  
ANELLOFAIRY060X (up ring)  
ANELLOFAIRY100X (down ring)



# fairy

Manuel Vivian

**AP FAIRYX**  
kg 1,3 m³ 0,0032



IP20 CRI90 **LED**

**FAIRY / DRIVER INCLUDED**


**Colours / Finish**  
CS crystal / CR white + chrome  
AM amber / CR white + chrome  
GR grey / CR white + chrome

2700K

**LED** 5,9W - diffused beam  
~717 lm ~121 lm/W source

100-240VAc

example composition code  
AP FAIRYX GR CR LED






PLFAIRYXCSCRLED

# fairy

Manuel Vivian

PL FAIRYX  
kg 1,3 m³ 0,0048



⊕ IP20 CRI90 **LED**

FAIRY / DRIVER INCLUDED

**Colours / Finish**  
CS crystal / CR white + chrome  
AM amber / CR white + chrome  
GR grey / CR white + chrome

2700K

**LED** 5,9W - diffused beam  
~717 lm ~121 lm/W source

100-240Vac

example composition code  
PL FAIRYX GR CR LED

PLFAIRYXGRCRLED








# fairy

Manuel Vivian

FA FAIRYX  
kg 1 m³ 0.0014

  IP20 CRI90 **LED**

FAIRY / DRIVER NOT INCLUDED



Colours / Finish  
CS crystal / CR chrome  
AM amber / CR chrome  
GR grey / CR chrome


2700K


LED 5,9W - 350mA - 17Vdc  
~717 lm ~121 lm/W source  
diffused beam

example composition code  
FA FAIRYX CS CR LED

foro - hole Ø 8 cm / profondità min - min depth 10 cm - Collegare in serie. / Wire in series.

 CEDLTC00100 standard 350mA driver - Max 8W

 CEDLTC00103 dimmable 1-10V 350mA driver - Max 25W

 CEDLTC00104 dimmable DALI 350mA driver - Max 25W

FAFAIRYXAMCRLED



FAFAIRYXCSCRLED



S M L XL



# Spillray

Manuel Vivian

SPSPILLGBRCRG4L / SPSPILLMCSCRG4L  
SPSPILLPRSCRG4L / SPSPILLMGRCRG4L



# Spillray

Manuel Vivian

Collezione composta da lampade da parete e da soffitto ad incasso e a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa alogena o a LED.

Collection consisting of wall, recessed and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halogen or LED light source.

## GENERAL INFORMATION



### COLOURS




crystal red grey metallic bronze




monopoint canopy 3 lights canopy linear multi-point canopy circular multi-point canopy recessed suspension lamp recessed ceiling lamp


**SP SPILL P**  
kg 1,2 m³ 0,02



**SP SPILL M**  
kg 1,4 m³ 0,05



**SP SPILL G**  
kg 1,6 m³ 0,05



IP20 **LED**


**Colours / Finish**  
CS crystal / CR chrome  
RS red / CR chrome  
GR grey / CR chrome  
BR metallic bronze / CR chrome

G4 1 x Max 1,5W 12Vdc  
LED bulb only (included)\*

90-264Vac

dimnable upon request

example composition code  
SP SPILL P RS CR G4L


 LAMPG41,5WL3002 1,5W G4 LED bulb - 3000K - Dimmable





# Spillray

Manuel Vivian



**SP SPIL P I (RECESSED)**  
kg 1,2 m³ 0,03



**SP SPIL M I (RECESSED)**  
kg 1,4 m³ 0,05



**SP SPIL G I (RECESSED)**  
kg 1,6 m³ 0,05



IP20 **LED**

**Colours / Finish**

- CS crystal / CR chrome
- RS red / CR chrome
- GR grey / CR chrome
- BR metallic bronze / CR chrome



G4 1 x Max 1,5W 12Vdc  
LED bulb only (included)\*

dimnable upon request

example composition code

SP SPIL P I RS CR G4L

foro - hole Ø 4 cm / profondità min - min depth 10 cm


	<b>CEDMWC00200</b>	(G4L) on/off driver - Max 8W
	<b>CEDMWC00201</b>	(G4L) on/off driver - Max 12W
	<b>LAMPG41,5WL3002</b>	1,5W G4 LED bulb - 3000K - Dimmable



# Spillray

Manuel Vivian

**SP SPILL 3**  
kg 1,8 m³ 0,05



IP20 **LED**

**Colours / Finish**  
CS crystal / CR chrome  
RS red / CR chrome  
GR grey / CR chrome  
BR metallic bronze / CR chrome


G4 3 x Max 1,5W 12Vdc  
LED bulb only (included)\*

90-264Vac


dimnable upon request

example composition code

SP SPILL 3 RS CR G4L

 **LAMPG41,5WL3002** 1,5W G4 LED bulb - 3000K - Dimmable

**SP SPILL 12**  
kg 9 m³ 0,13



IP20 **LED**

**Colours / Finish**  
CS crystal / CR chrome  
RS red / CR chrome  
GR grey / CR chrome  
BR metallic bronze / CR chrome


G4 12 x Max 1,5W 12Vdc  
LED bulb only (included)\*

90-264Vac


dimnable upon request

example composition code

SP SPILL 12 RS CR G4L

 **LAMPG41,5WL3002** 1,5W G4 LED bulb - 3000K - Dimmable


SPSPILL12BRCRG4L



# Spillray

Manuel Vivian

**SP SPILL 6**  
kg 4,5 m³ 0,13



IP20 **LED**

**Colours / Finish**  
**CS** crystal / **CR** chrome  
**RS** red / **CR** chrome  
**GR** grey / **CR** chrome  
**BR** metallic bronze / **CR** chrome


**G4** 6 x Max 1,5W 12Vdc  
 LED bulb only (included)\*

90-264Vac


dimmable upon request

example composition code

**SP SPILL 6 RS CR G4L**

 **LAMPG41,5WL3002** 1,5W G4 LED bulb - 3000K - Dimmable

**SP SPIL 10**  
kg 7 m³ 0,22



IP20 **LED**

**Colours / Finish**  
**CS** crystal / **CR** chrome  
**RS** red / **CR** chrome  
**GR** grey / **CR** chrome  
**BR** metallic bronze / **CR** chrome


**G4** 10 x Max 1,5W 12Vdc  
 LED bulb only (included)\*

90-264Vac

dimmable upon request

example composition code

**SP SPIL 10 RS CR G4L**

 **LAMPG41,5WL3002** 1,5W G4 LED bulb - 3000K - Dimmable



SPSPIL26CSCRG4L



Project: Konstantin Kashchuk Architects

# Spillray

Manuel Vivian

**SP SPIL 26**  
kg 23,5 m³ 0,86

IP20 **LED**


**Colours / Finish**  
CS crystal / CR chrome  
RS red / CR chrome  
GR grey / CR chrome


**G4 26 x Max 1,5W 12Vdc**  
LED bulb only (included)\*

90-264Vac

dimmable upon request



example composition code  
**SP SPIL 26 RS CR G4L**

 **LAMPG41,5WL3002** 1,5W G4 LED bulb - 3000K - Dimmable





**SP SPIL 20**  
kg 22 m³ 1,08



IP20 LED

**Colours / Finish**  
CS crystal / CR chrome  
RS red / CR chrome  
GR grey / CR chrome

G4 20 x Max 1,5W 12Vdc  
LED bulb only (included)\*



90-264Vac

dimmable upon request

example composition code  
SP SPIL 20 RS CR G4L

LAMPG41,5WL3002 1,5W G4 LED bulb - 3000K - Dimmable

**SP SPIL 30**  
kg 31 m³ 1,31



IP20 LED

**Colours / Finish**  
CS crystal / CR chrome  
RS red / CR chrome  
GR grey / CR chrome

G4 30 x Max 1,5W 12Vdc  
LED bulb only (included)\*

90-264Vac

dimmable upon request

example composition code  
SP SPIL 30 RS CR G4L



LAMPG41,5WL3002 1,5W G4 LED bulb - 3000K - Dimmable



# spillray

Manuel Vivian

**AP SPILLR**  
kg 1,2 m³ 0,03



IP20 **LED**

**Colours / Finish**  
CS crystal / CR chrome  
RS red / CR chrome  
GR grey / CR chrome


**G4** 1 x Max 1,5W 12Vdc  
LED bulb only (included)\*

90-264Vac

dimnable upon request

example composition code

**AP SPILLR RS CR G4L**

 **LAMPG41,5WL3002** 1,5W G4 LED bulb - 3000K - Dimmable


APSPILLRCSCRG4L




APSPILLRCSCRG4L




**PL SPIL P I (RECESSED)**  
kg 0,7 m³ 0,02



**PL SPIL M I (RECESSED)**  
kg 0,6 m³ 0,02



**PL SPIL G I (RECESSED)**  
kg 0,6 m³ 0,023



**CE EAC**

**IP20 LED**



**Colours / Finish**  
**CS** crystal / **CR** chrome  
**RS** red / **CR** chrome  
**GR** grey / **CR** chrome  
**BR** metallic bronze / **CR** chrome

**G4** 1 x Max 1,5W 12Vdc  
 LED bulb only (included)\*

dimnable upon request

example composition code  
**PL SPIL P I RS CR G4L**

foro - hole Ø 4 cm / profondità min - min depth 10 cm

-  **CEDMWC00200** (G4L) on/off driver - Max 8W
-  **CEDMWC00201** (G4L) on/off driver - Max 12W
-  **LAMPG41,5WL3002** 1,5W G4 LED bulb - 3000K - Dimmable


PLSPILPICSRG4L



PLSPILMICSRG4L



PLSPILGICSRG4L



S | M | L

SPFEDOR1BCBCGU1



# fedora

Dima Loginoff



## fedora

Dima Loginoff


Collezione composta da faretto ad incasso e lampade a sospensione. Disponibile in vari colori e dimensioni. Sorgente luminosa LED con attacco GU10.

*Collection consisting of recessed downlight and suspended lamps. Available in several colours and sizes. GU10 LED light source.*

### GENERAL INFORMATION



### COLOURS



rose gold

bronze

chrome

white



white canopy

**SP FEDOR 1**  
kg 1,21 m³ 0,04

IP20 **LED**


#### Colours / Finish

**BC** white + glass / **BC** white varnished metal  
**RO** rose gold + glass / **BC** white varnished metal  
**BR** bronze + glass / **BC** white varnished metal  
**CR** chrome + glass / **BC** white varnished metal

**GU10** LED 1 x Max 5,5W  
only LED bulbs

220-240VAC

example composition code  
**SP FEDOR 1 BC BC GU1**




SPFEDOR3CRBCGU1

# fedora

Dima Loginoff

**SP FEDOR 3**  
kg 4,56 m³ 0,06




IP20 **LED**

**GU10 LED 3 x Max 5,5W**  
only LED bulbs

220-240VAC

example composition code  
**SP FEDOR 3 BC BC GU1**

**SP FEDOR 6**  
kg 9,12 m³ 0,24



IP20 **LED**

**GU10 LED 6 x Max 5,5W**  
only LED bulbs

220-240VAC

example composition code  
**SP FEDOR 6 BC BC GU1**

### Colours / Finish

- BC** white + glass / **BC** white varnished metal
- RO** rose gold + glass / **BC** white varnished metal
- BR** bronze + glass / **BC** white varnished metal
- CR** chrome + glass / **BC** white varnished metal

SPFEDOR6CRBCGU1



Project: Edificio design studio Photo: Mikhail Loskutov


SPFEDOR7BRBCGU1



# fedora

Dima Loginoff

**SP FEDOR 7**  
kg 11 m³ 0,25



IP20 **LED**



**Colours / Finish**  
BC white + glass / BC white varnished metal  
RO rose gold + glass / BC white varnished metal  
BR bronze + glass / BC white varnished metal  
CR chrome + glass / BC white varnished metal

GU10 LED 7 x Max 5,5W  
only LED bulbs

220-240VAC

example composition code  
SP FEDOR 7 BC BC GU1

**SP FEDO 12**  
kg 17,95 m³ 0,41



IP20 **LED**


**Colours / Finish**  
BC white + glass / BC white varnished metal  
RO rose gold + glass / BC white varnished metal  
BR bronze + glass / BC white varnished metal  
CR chrome + glass / BC white varnished metal

GU10 LED 12 x Max 5,5W  
only LED bulbs

220-240VAC

example composition code  
SP FEDO 12 BC BC GU1

SPFEDO12BRBCGU1



Project: ToTaste.studio Photo: Sergey Krasnyuk




FAFEDORAXXXGU1

# fedora

Dima Loginoff

**FA FEDORA**  
kg 0,4 m³ 0,01



IP20 **LED**

**Colours / Finish**  
XX glass / XX white varnished metal

**GU10 LED** 1 x Max 5,5W  
only LED bulbs

220-240VAC

**foro - hole Ø 10 cm / profondità min - min depth 11 cm**

example composition code  
**FA FEDORA XX XX GU1**

FAFEDORAXXXGU1



M | L | XL

SPAURA60BCCRE27  
APAURAXXBCCRE27

# aura (avir)

Manuel Vivian



# aura (avir)

Manuel Vivian

Collezione composta da lampade da parete, soffitto e sospensione, con pendenti in vetro di Murano colorato incamiciato, cristallo e ritorti a mano. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

*Collection consisting of wall, ceiling and suspended lamps with double-layered coloured Murano glass hand twisted pendants. Available in several colours and sizes. Screw fitting light source.*



## GENERAL INFORMATION



## COLOURS




"rigadin"  
crystal

white

red

tea




chrome

chrome



### SPAURA 45

kg 19 m³ 0,33



IP20 +LED

**Colours / Finish**  
CS "rigadin" crystal / CR chrome  
BC white / CR chrome  
RS red / CR chrome  
TA tea / CR chrome


**E27** 1 x Max 20W LED or  
1 x Max 150W halogen

220-240V<sub>AC</sub>

example composition code  
SP AURA45 BC CR E27

### SPAURA 60

kg 28 m³ 0,48



IP20 +LED

**Colours / Finish**  
CS "rigadin" crystal / CR chrome  
BC white / CR chrome  
RS red / CR chrome  
TA tea / CR chrome

**E27** 1 x Max 20W LED or  
1 x Max 250W halogen

220-240V<sub>AC</sub>

example composition code  
SP AURA60 BC CR E27




SPAU60/2BCCRE27



## aura (avir)

Manuel Vivian

**SP AU 45/2**  
kg 30 m³ 0,57



IP20 +LED


**Colours / Finish**  
CS "rigadin" crystal / CR chrome  
BC white / CR chrome  
RS red / CR chrome  
TA tea / CR chrome

**E27** 2 x Max 20W LED or  
2 x Max 150W halogen

220-240V<sub>AC</sub>

example composition code  
SP AU 45/2 BC CR E27

**SP AU 60/2**  
kg 45 m³ 0,84




IP20 +LED

**Colours / Finish**  
CS "rigadin" crystal / CR chrome  
BC white / CR chrome  
RS red / CR chrome  
TA tea / CR chrome

**E27** 2 x Max 20W LED or  
2 x Max 250W halogen

220-240V<sub>AC</sub>

example composition code  
SP AU 60/2 BC CR E27




PLAURAGRCSCRE27



## aura (avir)

Manuel Vivian

**PLAUR P 30**  
kg 22 m<sup>3</sup> 0,33



⊕ IP20 +LED


**Colours / Finish**  
CS "rigadin" crystal / CR chrome  
BC white / CR chrome  
RS red / CR chrome  
TA tea / CR chrome

**E27** 4 x Max 20W LED or  
4 x Max 100W halogen

220-240V<sub>AC</sub>

example composition code  
**PL AUR P 30 CS CR E27**

**PLAUR G 30**  
kg 24,5 m<sup>3</sup> 0,44



⊕ IP20 +LED


**Colours / Finish**  
CS "rigadin" crystal / CR chrome  
BC white / CR chrome  
RS red / CR chrome  
TA tea / CR chrome

**E27** 4 x Max 20W LED or  
4 x Max 100W halogen

220-240V<sub>AC</sub>

example composition code  
**PL AUR G 30 CS CR E27**

**PLAURA PX**  
kg 26,5 m<sup>3</sup> 0,45



⊕ IP20 +LED


**Colours / Finish**  
CS "rigadin" crystal / CR chrome  
BC white / CR chrome  
RS red / CR chrome  
TA tea / CR chrome

**E27** 4 x Max 20W LED or  
4 x Max 100W halogen

220-240V<sub>AC</sub>

example composition code  
**PL AURA PX CS CR E27**

**PLAURA GR**  
kg 44 m<sup>3</sup> 0,62



⊕ IP20 +LED

**Colours / Finish**  
CS "rigadin" crystal / CR chrome  
BC white / CR chrome  
RS red / CR chrome  
TA tea / CR chrome

**E27** 4 x Max 20W LED or  
4 x Max 100W halogen

220-240V<sub>AC</sub>

example composition code  
**PL AURA GR CS CR E27**

# aura (avir)

Manuel Vivian

AP AURA XX  
kg 16,5 m³ 0,26



⚡ IP20 +LED

Colours / Finish  
CS "rigadin" crystal / CR chrome  
BC white / CR chrome  
RS red / CR chrome  
TA tea / CR chrome

E27 2 x Max 20W LED or  
2 x Max 100W halogen

220-240V<sub>AC</sub>

example composition code  
AP AURA XX BC CR E27



S | M | L

PTCLAVIUBCORE27

# clavius

Manuel Vivian



## clavius

Manuel Vivian


Collezione composta da lampade a parete, soffitto, sospensione, tavolo e da terra con montatura in metallo e paralume lavorato a mano con fili setati. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

*Collection consisting of wall, ceiling, suspended, table and floor lamps. Metal frame and hand-made silken thread lampshade. Available in several colours and sizes. Screw fitting light source.*

### GENERAL INFORMATION




### COLOURS



white

tobacco

sand



chrome canopy


gold canopy

chrome finish

gold finish

**PT CLAVIU**  
kg 16 m<sup>3</sup> 0,24

IP20  +LED



**Colours**  
BC white  
TA tobacco  
SA sand

**Finish**  
CR chrome  
OR gold

E27 2 x Max 70W halogen  
(dimming lamps required)

220-240V<sub>AC</sub>

example composition code  
PT CLAVIU BC OR E27


# clavius

Manuel Vivian

LTCLAVIPBCCRE14



**LT CLAV XP**  
kg 1 m³ 0,03



□ IP20 **+LED**

**Colours**  
BC white  
TA tobacco  
SA sand


**Finish**  
CR chrome  
OR gold

**E14** 1 x Max 6,5W LED or  
1 x Max 42W halogen

220-240V<sub>AC</sub>

example composition code  
LT CLAVXP SA CR E14

**LT CLAVI P**  
kg 4 m³ 0,07



□ IP20 **+LED**

**Colours**  
BC white  
TA tobacco  
SA sand


**Finish**  
CR chrome  
OR gold

**E14** 2 x Max 6,5W LED or  
2 x Max 42W halogen

220-240V<sub>AC</sub>

example composition code  
LT CLAVIP TA CR E14

**LT CLAVI G**  
kg 8 m³ 0,16



□ IP20 **+LED**

**Colours**  
BC white  
TA tobacco  
SA sand

**Finish**  
CR chrome  
OR gold

**E27** 2 x Max 16W LED or  
2 x Max 70W halogen

220-240V<sub>AC</sub>

example composition code  
LT CLAVIG SA CR E27

LTCLAVIPBCCRE14 / LTCLAVIGTACRE27




SPCLAVIUBCCRE27



clavius

Manuel Vivian

SP CLAVIU E27  
kg 5 m<sup>3</sup> 0,12



IP20 +LED

CLAVIUS / diffusore NON INCLUSO / diffuser NOT INCLUDED

Colours  
BC white  
TA tobacco  
SA sand

Finish  
CR chrome  
OR gold

E27 3 x Max 16W LED or  
3 x Max 70W halogen

220-240V<sub>AC</sub>

example composition code  
SP CLAVIU SA OR E27

DSPCLAVIUSXXXXX diffusore optional / optional diffuser



PLCLAVIUBCXxE27



# clavius

Manuel Vivian

PL CLAVIU  
kg 3 m³ 0,06



IP20 +LED

Colours  
BC white  
TA tobacco  
SA sand

Finish  
XX white

E27 3 x Max 9,5W LED or  
3 x Max 46W halogen

220-240VAC

example composition code  
PL CLAVIU SA XX E27

PLCLAVIUTAXXE27




APCLAVBRBCORE14



# clavius

Manuel Vivian

**AP CLAV BR**  
kg 1,5 m³ 0,03



IP20 +LED

**Colours**  
BC white  
TA tobacco  
SA sand


**Finish**  
XX chrome  
OR gold

**E14** 1 x Max 6,5W LED or  
1 x Max 42W halogen

220-240V<sub>AC</sub>

example composition code  
AP CLAVBR SA OR E14

**AP CLAV 30**  
kg 2 m³ 0,03



IP20 +LED

CLAVIUS / diffusore INCLUSO / diffuser INCLUDED

**Colours**  
BC white  
TA tobacco  
SA sand

**Finish**  
XX white

**E14** 1 x Max 6,5W LED or  
1 x Max 42W halogen

220-240V<sub>AC</sub>

example composition code  
AP CLAV30 SA XX E14

APCLAV30TAXXE14





M | L | XL

SPSKI070E27NEBC

# skin

Manuel Vivian

## skin


Manuel Vivian

Collezione composta da lampade a soffitto e sospensione con paralume in ecopelle ignifuga. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.


*Collection consisting of ceiling and suspended lamps. The lampshade is realized with flame-retardant eco-leather. Available in several colours and sizes. Screw light bulb or built-in dimmable LED light source.*

### GENERAL INFORMATION

#### COLOURS



white ivory white brown black




white warm white white canopy

Altri colori disponibili su richiesta. / Other colors available on request.

**SP SKI 070 E27**  
kg 10 m³ 0,33

**E27** 4 x Max 16W LED or  
4 x Max 20W fluo


example composition code  
**SP SKI 070 E27 MA BW**



**SP SKI 100 E27**  
kg 15 m³ 1,08

**E27** 6 x Max 16W LED or  
6 x Max 20W fluo

example composition code  
**SP SKI 100 E27 MA BW**



**SP SKI 100 LED**  
kg 15 m³ 1,08

**CE EAC** ETL in progress

**IP20 CRI90** **LED**

**Colours (lampshade)**  
BC white  
BA ivory white  
MA brown  
NE matt black

**Colours (radial diffuser)**  
BC white  
BW warm white

3000K\*  
4000K upon request

**LED** 98W - diffused beam  
~10719 lm\* 109 lm/W\* source

110-240Vac

example composition code  
**SP SKI 100 LED MA BW**

SKIN, lampada con illuminazione verso alto e basso / with upward and downward lighting.  
DRIVER INCLUDED

**CE** **EAC**


**IP20 +LED**

**Colours (lampshade)**  
BC white  
BA ivory white  
MA brown  
NE matt black

**Colours (radial diffuser)**  
BC white  
BW warm white

220-240Vac


SKIN, lampada con illuminazione verso alto e basso / with upward and downward lighting.



# skin

Manuel Vivian

**SP SKI 160 E27**  
kg 2,3 m³ 2,15



IP20 +LED

**Colours (lampshade)**  
BC white  
BA ivory white  
MA brown  
NE matt black

**Colours (radial diffuser)**  
BC white  
BW warm white


**E27** 6 x Max 16W LED or  
6 x Max 20W fluo

220-240VAC

example composition code  
**SP SKI 160 E27 MA BW**

SKIN, lampada con illuminazione verso alto e basso / with upward and downward lighting.

**SP SKI 160 LED**  
kg 2,3 m³ 2,15



IP20 CRI90 **LED**

**Colours (lampshade)**  
BC white  
BA ivory white  
MA brown  
NE matt black

**Colours (radial diffuser)**  
BC white

3000K\*  
4000K upon request

**LED** 98W - diffused beam  
~10719 lm\* 109 lm/W\* source

110-240VAC

example composition code  
**SP SKI 160 LED MA BW**

SKIN, lampada con illuminazione verso alto e basso / with upward and downward lighting.  
DRIVER INCLUDED



SPSKI100LEDNEBW / SPSKI160LEDNEBW


PLSKI100E27BABC



# skin

Manuel Vivian

**PL SKI 070 E27**  
kg 6 m³ 0,33



**E27** 2 x Max 16W LED or  
2 x Max 20W fluo

example composition code  
**PL SKI 070 E27 MA BW**

**PL SKI 100 E27**  
kg 12 m³ 0,98



**E27** 3 x Max 16W LED or  
3 x Max 23W fluo

example composition code  
**PL SKI 100 E27 MA BW**

**PL SKI 160 E27**  
kg 24 m³ 2,22



**E27** 5 x Max 16W LED or  
5 x Max 23W fluo

example composition code  
**PL SKI 160 E27 MA BW**



IP20 **+LED**

**Colours (lampshade)**  
BC white  
BA ivory white  
MA brown  
NE matt black

**Colours (radial diffuser)**  
BC white  
BW warm white

220-240Vac

SKIN con illuminazione verso basso /  
with downward lighting.

PLSKI070E27MABC / SPSKI070E27MABC



# muse

Sandro Santantonio





PLMUSE40STXXE27  
PLMUS120STXXE27

# muse

Sandro Santantonio

Collezione di lampade da soffitto e parete, con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.


*Collection consisting of ceiling, wall lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes. Screw fitting light source.*

Altri colori disponibili su richiesta. /  
Other colors available upon request.

## GENERAL INFORMATION



### COLOURS



white orange\* yellow\* multicolor



sticks flower

\*Upon request


**PL MUSE 40**  
kg 1 m³ 0,03



Ø 40 cm

**E27** 1 x Max 6,5W LED or  
1 x Max 42W halogen


**PL MUSE 60**  
kg 1,5 m³ 0,09



Ø 60 cm

**E27** 2 x Max 6,5W LED or  
2 x Max 42W halogen



**PL MUSE 80**  
kg 4 m³ 0,13



Ø 80 cm

**E27** 3 x Max 16W LED or  
3 x Max 70W halogen

**PL MUSE 120**  
kg 7 m³ 0,31



Ø 120 cm

**E27** 3 x Max 16W LED or  
3 x Max 70W halogen

**KPLMUSE** optional: kit lente solo per E27 con lampadina LED.  
Solo per versioni 80 e 120 / optional: glass diffuser kit only  
for E27 when mounting LED bulb. Only for 80 and 120

**MUSE / tessuto INCLUSO, kit lente NON PREVISTO /  
fabric INCLUDED, glass diffuser kit NOT AVAILABLE /  
applicazione a soffitto o a parete / application: both as  
ceiling or wall lamp**

**Finish**  
XX white metal

220-240Vac

example composition code  
**PL MUSE 40 GI XX E27**

TESSUTI SUPPLEMENTARI SU RICHIESTA /  
ADDITIONAL FABRICS UPON REQUEST:

<b>TSPLMUSE40/60/80/120</b>	white
<b>TSPLMUSE40/60/80/120AR</b>	orange upon request
<b>TSPLMUSE40/60/80/120GI</b>	yellow upon request
<b>TSPLMUSE40/60/80/120MC</b>	multicolour
<b>TSPLMUSE40/60/80/120FI</b>	flower
<b>TSPLMUSE40/60/80/120ST</b>	sticks



# cloudy

Dima Loginoff



SPCLOUDYBCXXLED

# cloudy

Dima Loginoff


Lampade a sospensione con struttura metallica in alluminio e acciaio, diffusori in materiale plastico con rivestimento in tessuto elastico removibile e lavabile. Disponibile in colore bianco. Sorgente luminosa a LED integrato dimmerabile.

*Suspended lamp with steel and aluminum frame and diffusers in plastic material with elastic, removable and washable fabric cover. Available in white colour. Built-in dimmable LED light source.*

## GENERAL INFORMATION



## COLOURS



white

**SP CLOUDY**  
kg 15 m³ 0,700

IP20 CRI>90 **LED**


**Colours / Finishings**  
BC white / XX white

3000K\*  
2700K upon request


**LED** 92W - diffused beam  
~7602 lm\* ~83 lm/W\* source

110-240Vac

example composition code  
**SP CLOUDY BC XX LED**



123 cm



max 3,49 cm



Project: Vlady Design

SPCLOUDYBCXXLED



Project: Anna Belokon





SPBEL060E27BWXX

M | L | XL

# bell

Manuel Vivian

SPBEL118E27GIXX



bell 

Manuel Vivian

Collezione composta da lampade a soffitto e a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

*Collection consisting of ceiling and suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.*

Prodotto fonoassorbente /  
Sound absorbing product



GENERAL INFORMATION



COLOURS




white

warm white

gold yellow


black



red



diffuser detail



white canopy

Altri colori disponibili su richiesta. /  
Other colors available upon request.

**SP BEL 045 E27**  
kg 5 m³ 0,22

Ø 12 cm




Ø 45 cm

4 cm

315,5 cm

max 325 cm

 IP20 **+LED**

Colours  
BC white  
BW warm white  
GI gold yellow  
NE black  
RS red

diffusore NON INCLUSO /  
diffuser NOT INCLUDED

E27 1 x Max 20W LED or  
E27 1 x Max 70W halogen

220-240VAC

example composition code  
SP BEL 045 E27 GI XX

**SP BEL 060 E27**  
kg 7,5 m³ 0,43

Ø 15 cm




Ø 60 cm

5 cm

38 cm

max 325 cm

 IP20 **+LED**

Colours  
BC white  
BW warm white  
GI gold yellow  
NE black  
RS red

E27 1 x Max 20W LED or  
E27 1 x Max 70W halogen

220-240VAC

example composition code  
SP BEL 060 E27 GI XX

KITLIGHTEC2 diffusore opzionale / optional diffuser




SPBEL090LEDNEXX

Project: Marcin Tryc / Grupa Żoliborz Photo: Marcin Tryc


bell 

Manuel Vivian

**SP BEL 090 E27**  
**SP BEL 090 LED**  
kg 13,5 m³ 1,06



**SP BEL 090 E27**


 **IP20 +LED**

**E27 4 x Max 20W LED or**  
**E27 4 x Max 46W halogen**

220-240V<sub>AC</sub>

**SP BEL 090 LED**

**ETL in progress**

  **IP20 CRI90 LED**

3000K\*  
4000K upon request

**LED 88W - diffused beam**  
~9610 lm\* 109 lm/W\* source


110-240V<sub>AC</sub>

**diffusore INCLUSO, con illuminazione verso alto e basso /**  
**diffuser INCLUDED, with upward and downward lighting**


**Colours**  
BC white  
BW warm white  
GI gold yellow  
NE black  
RS red

example composition code  
**SP BEL090 E27 BW XX**

**SP BEL 118 E27**  
**SP BEL 118 LED**  
kg 16,5 m³ 1,9



**SP BEL 118 E27**



 **IP20 +LED**

**E27 4 x Max 20W LED or**  
**E27 4 x Max 57W halogen**

220-240V<sub>AC</sub>

**SP BEL 118 LED**

**ETL in progress**

  **IP20 CRI90 LED**

3000K\*  
4000K upon request

**LED 98W - diffused beam**  
~10719 lm\* 109 lm/W\* source


110-240V<sub>AC</sub>

**diffusore INCLUSO, con illuminazione verso alto e basso /**  
**diffuser INCLUDED, with upward and downward lighting**


**Colours**  
BC white  
BW warm white  
GI gold yellow  
NE black  
RS red

example composition code  
**SP BEL 118 E27 BW XX**

**SP BEL 180 E27**  
**SP BEL 180 LED**  
kg 39 m³ 5,7



**SP BEL 180 E27**



 **IP20 +LED**

**4 x Max 16W + 1 x Max 9,5W LED or**  
**4 x Max 57W + 1 x Max 46W halogen**

220-240V<sub>AC</sub>

**SP BEL 180 LED**

**ETL in progress**

  **IP20 CRI90 LED**

3000K\*  
4000K upon request

**LED 98W - diffused beam**  
~10719 lm\* 109 lm/W\* source

110-240V<sub>AC</sub>

**diffusore INCLUSO, con illuminazione verso alto e basso /**  
**diffuser INCLUDED, with upward and downward lighting**

**Colours**  
BC white  
BW warm white  
GI gold yellow  
NE black  
RS red

example composition code  
**SP BEL 180 E27 BW XX**


**PL BEL 060 E27**  
kg 4 m³ 0,18



**E27 2 x Max 16W LED or  
E27 2 x Max 57W halogen**

220-240VAC


**PL BEL 090 E27**  
kg 8 m³ 0,98



**E27 3 x Max 16W LED or  
E27 3 x Max 57W halogen**

220-240VAC


**PL BEL 118 E27**  
kg 10 m³ 0,98



**E27 4 x Max 16W LED or  
E27 4 x Max 57W halogen**


220-240VAC

**PL BEL 180 E27**  
kg 27 m³ 2,64



**E27 5 x Max 16W LED or  
E27 5 x Max 57W halogen**

220-240VAC

 IP20 **+LED**

**diffusore INCLUSO /  
diffuser INCLUDED**

**Colours**  
BC white  
BW warm white  
GI gold yellow  
NE black  
RS red

example composition code  
**PL BEL060 E27 GI XX**



L XL

SPLAYEXXE27BCXX



# layers

Vanessa Vivian



layers

Vanessa Vivian

Collezione composta da lampade a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile in due colori e varie dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in two colours and several sizes. Screw fitting light source.


Prodotto fonoassorbente /  
Sound absorbing product



## GENERAL INFORMATION



## COLOURS




white

warm white

white canopy

Altri colori disponibili su richiesta. /  
Other colors available upon request.

**SPLAY A**  
kg 26,2 m³ 0,76




E27 9 x Max 16W LED or  
E27 9 x Max 70W halogen

220-240V<sub>AC</sub>

example composition code  
SP LAY AXX E27 BC XX

**SPLAY B**  
kg 48,5 m³ 2,06




E27 15 x Max 16W LED or  
E27 15 x Max 70W halogen

220-240V<sub>AC</sub>

example composition code  
SP LAY BXX E27 BC XX

**SPLAY C**  
kg 41,3 m³ 1,71



E27 15 x Max 16W LED or  
E27 15 x Max 70W halogen

220-240V<sub>AC</sub>

example composition code  
SP LAY CXX E27 BC XX


IP20 +LED

Colours  
BC white  
BW warm white



**layers**   
Vanessa Vivian

**SPLAY D**  
kg 29,3 m³ 0,76




E27 9 x Max 16W LED or  
E27 9 x Max 70W halogen

220-240V<sub>AC</sub>

example composition code  
SP LAY DXX E27 BC XX

**SPLAY E**  
kg 24,4 m³ 1,71




E27 9 x Max 16W LED or  
E27 9 x Max 70W halogen

220-240V<sub>AC</sub>

example composition code  
SP LAY EXX E27 BC XX

**SPLAY F**  
kg 25,1 m³ 0,76



E27 9 x Max 16W LED or  
E27 9 x Max 70W halogen

220-240V<sub>AC</sub>

example composition code  
SP LAY FXX E27 BC XX

 IP20 +LED

Colours  
BC white  
BW warm white

SPLAYEXXE27BCXX  
SPLAYCXXE27BCXX  
SPLAYFXXE27BCXX  
SPLAYCXXE27BCXX  
SPLAYBXXE27BCXX

L XL

SPSK1502LEDXXBC

# skirt

Vanessa Vivian

Project: Proxy

## skirt

Vanessa Vivian

Collezione di lampade a soffitto, a sospensione e con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling and suspended lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.


Prodotto fonoassorbente. / Sound absorbing product.



### GENERAL INFORMATION



#### COLOURS



white

orange

blue

light grey



red

light green

black net over a white fabric

white canopy

Altri colori disponibili su richiesta. / Other colors available upon request.

SPSK1502 E27  
kg 23 m³ 2,54


 IP20 +LED

SKIRT / diffusore INCLUSO / diffuser INCLUDED

E27 4 x Max 16W + 1 x Max 12W LED  
or 4 x Max 70W + 1 x Max 57W halogen


220-240V<sub>AC</sub>

example composition code  
SP SK1502 E27 XX BC



SPSK1502 LED  
kg 23 m³ 2,54

ETL in progress

 IP20 CRI90 


SKIRT / diffusore INCLUSO / diffuser INCLUDED

3000K\*  
4000K upon request

LED 98W - diffused beam  
~10719 lm\* 109 lm/W\* source

110-240V<sub>AC</sub>

example composition code  
SP SK1502 LED XX BC



Exterior Net  
NE black  
XX no black net

Fabric Colours  
BC white  
AR orange  
BL blue  
GR light grey  
RS red  
VE light green




SPSK1502LEDNEBC

Project: rs3 Designs

# skirt

Vanessa Vivian

**SPSK1002 E27**  
kg 18 m³ 1,06



IP20 **+LED**


SKIRT / diffusore INCLUSO / diffuser INCLUDED

**E27** 4 x Max 20W LED or  
4 x Max 70W halogen

220-240VAc

example composition code  
SP SK1002 E27 XX BC

**SPSK1002 LED**  
kg 18 m³ 1,06



ETL in progress

IP20 CRI90 **LED**

SKIRT / diffusore INCLUSO / diffuser INCLUDED

3000K\*  
4000K upon request

**LED** 98W - diffused beam  
~10719 lm\* 109 lm/W\* source

110-240VAc

example composition code  
SP SK1002 LED XX BC

**Exterior Net**  
NE black  
XX no black net

**Fabric Colours**  
BC white  
AR orange  
BL blue  
GR light grey  
RS red  
VE light green




SPSKR100LEDXXBC

# skirt

Vanessa Vivian

**SPSKR150 E27**  
kg 19 m³ 2,54



IP20 +LED

SKIRT / diffusore INCLUSO / diffuser INCLUDED

E27 4 x Max 16W +  
1 x Max 12W LED


or

4 x Max 70W +  
1 x Max 57W halogen


220-240VAC

example composition code  
SP SKR150 E27 XX BC

**SPSK150 LED**  
kg 19 m³ 2,54



ETL in progress

IP20 CRI90  LED

SKIRT / diffusore INCLUSO / diffuser INCLUDED


3000K\*  
4000K upon request

LED 98W - diffused beam  
~10719 lm\* 109 lm/W\* source

110-240VAC

example composition code  
SP SK150 LED XX BC

**SPSKR100 E27**  
kg 12,5 m³ 1,06



IP20 +LED


SKIRT / diffusore INCLUSO / diffuser INCLUDED

E27 4 x Max 20W +  
4 x Max 70W halogen


220-240VAC

example composition code  
SP SKR100 E27 XX BC

**SPSKR100 LED**  
kg 12,5 m³ 1,06



ETL in progress

IP20 CRI90  LED

SKIRT / diffusore INCLUSO / diffuser INCLUDED

3000K\*  
4000K upon request

LED 98W - diffused beam  
~10719 lm\* 109 lm/W\* source

110-240VAC

example composition code  
SP SKR100 LED XX BC

Exterior Net  
NE black  
XX no black net


Fabric Colours  
BC white  
AR orange  
BL blue  
GR light grey  
RS red  
VE light green

SPSKR140E27XXBC

# skirt

Vanessa Vivian

**SPSKR140 E27**  
kg 11,5 m³ 0,65



IP20 +LED


SKIRT / diffusore INCLUSO / diffuser INCLUDED

**E27** 4 x Max 16W LED or  
4 x Max 57W halogen

220-240V<sub>AC</sub>

example composition code  
**SP SKR140 E27 XX BC**

**SPSKR070 E27**  
kg 6,5 m³ 0,43



IP20 +LED


SKIRT / diffusore INCLUSO / diffuser INCLUDED

**E27** 1 x Max 20W LED or  
1 x Max 70W halogen

220-240V<sub>AC</sub>

example composition code  
**SP SKR070 E27 XX BC**

**SPSKR050 E27**  
kg 3,5 m³ 0,13



IP20 +LED

SKIRT / diffusore NON INCLUSO / diffuser NOT INCLUDED

**E27** 1 x Max 20W LED or  
1 x Max 70W halogen

220-240V<sub>AC</sub>

example composition code  
**SP SKR050 E27 XX BC**

**Exterior Net**  
NE black  
XX no black net

**Fabric Colours**  
BC white  
AR orange  
BL blue  
GR light grey  
RS red  
VE light green

SPSKR070E27XXBC




PLSKR100E27XXVE

# skirt

Vanessa Vivian

**PLSK1502 E27**  
kg 30 m³ 2,54



IP20 +LED


SKIRT / diffusore INCLUSO / diffuser INCLUDED

**E27** 4 x Max 16W LED or  
4 x Max 70W halogen

220-240VAC

example composition code  
**PL SK1502 E27 XX BC**

**PLSKR150 E27**  
kg 25 m³ 2,54



IP20 +LED


SKIRT / diffusore INCLUSO / diffuser INCLUDED

**E27** 4 x Max 16W LED or  
4 x Max 70W halogen

220-240VAC

example composition code  
**SP SKR150 E27 XX BC**

**PLSK1002 E27**  
kg 18 m³ 1,06



IP20 +LED

SKIRT / diffusore INCLUSO / diffuser INCLUDED

**E27** 3 x Max 16W LED or  
3 x Max 70W halogen

220-240VAC


example composition code  
**PL SK1002 E27 XX BC**


**Exterior Net**  
NE black  
XX no black net

**Fabric Colours**  
BC white  
AR orange  
BL blue  
GR light grey  
RS red  
VE light green

Project: Mykenian Collection Photo: Christos Drizas

**PLSKR100 E27**  
kg 10 m³ 1,06



 **IP20 +LED**


**SKIRT / diffusore INCLUSO / diffuser INCLUDED**


**E27** 3 x Max 16W LED or  
3 x Max 70W halogen

220-240V<sub>AC</sub>

example composition code  
**PL SKR100 E27 XX BC**

**PLSKR070 E27**  
kg 5,5 m³ 0,43



 **IP20 +LED**

**SKIRT / diffusore INCLUSO / diffuser INCLUDED**


**E27** 1 x Max 16W LED or  
1 x Max 70W halogen

220-240V<sub>AC</sub>

example composition code  
**PL SKR070 E27 XX BC**

**Exterior Net**  
**NE** black  
**XX** no black net

**Fabric Colours**  
**BC** white  
**AR** orange  
**BL** blue  
**GR** light grey  
**RS** red  
**VE** light green



M L XL

SPVEL100LEDBANE

# velvet

Manuel Vivian

Project: Sulyk Architects

velvet 

Manuel Vivian

Collezione di lampade a sospensione e a soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.

Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.

Prodotto fonoassorbente. / Sound absorbing product.



## GENERAL INFORMATION



### COLOURS




ice white

ivory white

blue

brown

### COLOURS RADIAL DIFFUSER




black

white

warm white

Altri colori disponibili su richiesta. / Other colors available upon request.

SPVEL160 E27  
SPVEL160 LED  
kg 25 m<sup>3</sup> 4,32



SP VEL 160 E27

 IP20 +LED

E27 4 x Max 16W LED or 4 x Max 9,5W LED

220-240VAC

example composition code  
SP VEL160 E27 BL BC

SP VEL 160 LED

ETL in progress

  IP20 CRI90 LED

3000K\*  
4000K upon request

LED 98W - diffused beam  
~10719 lm\* 109 lm/W\* source

110-240VAC

example composition code  
SP VEL160 LED BL BC

VELVET / diffusore INCLUSO, con illuminazione verso alto e basso / diffuser INCLUDED, with upward and downward lighting


Colours (lampshade)

BC ice white  
BA ivory white  
BL blue  
MA brown  
NE black


Colours (radial diffuser)

BC white  
BW warm white

SPVEL100 E27  
SPVEL100 LED  
kg 17,5 m<sup>3</sup> 1,16



SP VEL 100 E27

 IP20 +LED





E27 4 x Max 20W LED or 4 x Max 57W LED

220-240VAC

example composition code  
SP VEL100 E27 BL BC

SP VEL 100 LED

ETL in progress

    IP20 CRI90 LED 110-240VAC

3000K\*  
4000K upon request

LED 98W - diffused beam  
~10719 lm\* 109 lm/W\* source

110-240VAC

example composition code  
SP VEL100 LED BL BC

VELVET / diffusore INCLUSO, con illuminazione verso alto e basso / diffuser INCLUDED, with upward and downward lighting


Colours (lampshade)

BC ice white  
BA ivory white  
BL blue  
MA brown  
NE black

Colours (radial diffuser)

BC white  
BW warm white


SPVEL100LEDMABC



velvet   
Manuel Vivian

**SPVEL070 E27**  
kg 6,5 m³ 0,48

Ø 15 cm



Ø 67 cm  
Ø 70 cm

 **IP20 +LED**


**E27** 1 x Max 20W LED or  
1 x Max 70W LED

220-240V<sub>AC</sub>


example composition code  
SP VEL070 E27 BL BC

**SPVEL050 E27**  
kg 5 m³ 0,25

Ø 12 cm



Ø 46 cm  
Ø 50 cm

 **IP20 +LED**

**E27** 1 x Max 16W LED or  
1 x Max 23W LED

220-240V<sub>AC</sub>

example composition code  
SP VEL050 E27 BL BC

VELVET / diffusore INCLUSO / diffuser INCLUDED

Colours (lampshade)

BC ice white  
BA ivory white  
BL blue  
MA brown  
NE black


Colours (radial diffuser)

BC white  
BW warm white




velvet   
Manuel Vivian

**PLVEL160 E27**  
kg 32 m³ 2,22




 **IP20 +LED**  
**E27** 5 x Max 16W LED or  
5 x Max 46W halogen  
220-240VAC  
example composition code  
**PL VEL160 E27 BL BC**

**PLVEL100 E27**  
kg 9 m³ 0,98



 **IP20 +LED**  
**E27** 5 x Max 16W LED or  
5 x Max 57W halogen  
220-240VAC  
example composition code  
**PL VEL100 E27 BL BC**

**PLVELO70 E27**  
kg 7 m³ 0,28



 **IP20 +LED**  
**E27** 2 x Max 16W LED or  
2 x Max 20W halogen  
220-240VAC  
example composition code  
**PL VELO70 E27 BL BC**

**VELVET / diffusore INCLUSO / diffuser INCLUDED**

**Colours (lampshade)**  
**BC** ice white  
**BA** ivory white  
**BL** blue  
**MA** brown  
**NE** black


**Colours (radial diffuser)**  
**BC** white  
**BW** warm white

# ukiyo

Manuel Vivian







ukiyo 

Manuel Vivian


Collezione composta da lampade a parete o a soffitto con struttura metallica e rivestimento in tessuto bianco retato elasticizzato, sfoderabile e lavabile. Disponibile in tre dimensioni. Sorgente luminosa con attacco a vite.

*Collection consisting of ceiling or wall lamps with metal frame and white removable, washable elastic mesh fabric covering. Available in three sizes. Screw fitting light bulb.*

GENERAL INFORMATION



COLOURS




white



Altri colori disponibili su richiesta. /  
Other colors available upon request.

Prodotto fonoassorbente. /  
Sound absorbing product.

**PLUKIYOG**  
kg 3,6 m³ 0,24



 IP20 **+LED**


**E27** 3 x Max 16W LED or  
3 x Max 70W halogen


220-240VAC

example composition code  
**PL UKIYOG BC XX E27**

Tessuto supplementare su richiesta / Additional fabric upon request:  
**TSPLUKIYO100X100BC**

**PLUKI110**  
kg 3 m³ 0,12



 IP20 **+LED**


**E27** 3 x Max 16W LED or  
3 x Max 70W halogen


220-240VAC

example composition code  
**PL UKI110 BC XX E27**

Tessuto supplementare su richiesta / Additional fabric upon request:  
**TSPLUKIYO100X55BC**

**PLUKIYOP**  
kg 1,7 m³ 0,06



 IP20 **+LED**

**E27** 3 x Max 6,5W LED or  
3 x Max 42W halogen

220-240VAC

example composition code  
**PL UKIYOP BC XX E27**

Tessuto supplementare su richiesta / Additional fabric upon request:  
**TSPLUKIYO60X60BC**

**UKIYO / tessuto INCLUSO -**  
applicazione a soffitto o a parete /  
**fabric INCLUDED - application:**  
both as ceiling or wall lamp

**Colours / Finish**  
BC white / XX white metal

M | L

nelly

Manuel Vivian

Collezione di lampade a soffitto e a parete, con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in due colori e varie dimensioni. Sorgente luminosa con attacco a vite.

*Collection consisting of ceiling or wall lamps, with metal frame and removable, washable elastic fabric covering. Available in two colours and several sizes. Screw fitting light source.*

GENERAL INFORMATION




COLOURS



white

white pattern

**PL NELL 60**  
kg 2 m<sup>3</sup> 0,06



IP20 +LED

**NELLY / tessuto INCLUSO / fabric INCLUDED**

**Colours / Finish**  
BC white / XX white metal  
FB white pattern/ XX white metal

**E27** 2 x Max 16W LED or  
2 x Max 70W halogen


220-240VAC

example composition code  
**PL NELL 60 FB XX E27**

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

<b>TSPLNELLY60BC</b>	white
<b>TSPLNELLY60FB</b>	white pattern

**PL NEL 100**  
kg 4 m<sup>3</sup> 0,17



IP20 +LED

**NELLY / tessuto INCLUSO / fabric INCLUDED**

**Colours / Finish**  
BC white / XX white metal  
FB white pattern/ XX white metal

**E27** 3 x Max 16W LED or  
3 x Max 70W halogen


220-240VAC

example composition code  
**PL NEL 100 FB XX E27**

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

<b>TSPLNELLY100BC</b>	white
<b>TSPLNELLY100FB</b>	white pattern

**PL NEL 140**  
kg 6 m<sup>3</sup> 0,5



IP20 +LED

**NELLY / tessuto INCLUSO / fabric INCLUDED**

**Colours / Finish**  
BC white / XX white metal  
FB white pattern/ XX white metal

**E27** 4 x Max 16W LED or  
4 x Max 70W halogen

220-240VAC

example composition code  
**PL NEL 140 FB XX E27**

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

<b>TSPLNELLY140BC</b>	white
-----------------------	-------

PLNELL60BCXXE27  
PLNEL140BCXXE27  
PLNEL100BCXXE27  
PLNELL60BCXXE27

nelly  
Manuel Vivian

# nelly straight

Manuel Vivian

## nelly straight

Manuel Vivian

Collezione di lampade a soffitto e a parete, con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in due colori e varie dimensioni. Sorgente luminosa con attacco a vite.

*Collection consisting of ceiling or wall lamps, with metal frame and removable, washable elastic fabric covering. Available in two colours and several sizes. Screw fitting light source.*

### GENERAL INFORMATION




### COLOURS



white

white pattern

**PL NEL S 60**  
kg 2 m<sup>2</sup> 0,06



⊥ IP20 **+LED**

**NELLY STRAIGHT / tessuto INCLUSO / fabric INCLUDED**

**Colours / Finish**  
BC white / XX white metal  
FB white pattern/ XX white metal

**E27** 2 x Max 16W LED or  
2 x Max 70W halogen


220-240V<sub>AC</sub>

example composition code  
**PL NEL S 60 FB XX E27**

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

<b>TSPLNELLYQ60BC</b>	white
<b>TSPLNELLYQ60FB</b>	white pattern

**PL NE S 100**  
kg 4 m<sup>2</sup> 0,17



⊥ IP20 **+LED**

**NELLY STRAIGHT / tessuto INCLUSO / fabric INCLUDED**

**Colours / Finish**  
BC white / XX white metal  
FB white pattern/ XX white metal

**E27** 3 x Max 16W LED or  
3 x Max 70W halogen


220-240V<sub>AC</sub>

example composition code  
**PL NE S 100 FB XX E27**

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

<b>TSPLNELLYQ100BC</b>	white
<b>TSPLNELLYQ100FB</b>	white pattern

**PL NE S 140**  
kg 6 m<sup>2</sup> 0,5



⊥ IP20 **+LED**

**NELLY STRAIGHT / tessuto INCLUSO / fabric INCLUDED**

**Colours / Finish**  
BC white / XX white metal  
FB white pattern/ XX white metal

**E27** 4 x Max 16W LED or  
4 x Max 70W halogen


220-240V<sub>AC</sub>

example composition code  
**PL NE S 140 FB XX E27**

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

<b>TSPLNELLYQ140BC</b>	white
------------------------	-------

# Acoustic performance



## From noise to acoustic comfort, how to do it?

Dal rumore al comfort acustico, come farlo?

Il rumore è comunemente identificato come un suono non desiderato e disturbante, ad esempio quello generato dal brusio (vociare incomprensibile e continuativo), da un'automobile in movimento, da un trapano, etc.

Il comfort acustico è quella condizione psicofisica di benessere nella quale si trova una persona immersa in un ambiente in cui il rumore è molto contenuto.

*Noise is commonly identified as an unwanted and disturbing sound, for example buzzing (an incomprehensible and continuous hum) from a moving car, a drill, etc.*

*Acoustic comfort is the psychophysical condition of wellbeing a person finds themselves in when they are in an environment where noise is limited.*


La misurazione del **Tempo di Riverberazione (RT60)**, ovvero il tempo necessario affinché il rumore diventi impercettibile, consente di valutare il comfort acustico di un ambiente: maggiore è il tempo di riverberazione, maggiore è la percezione del rumore.

Un ambiente caratterizzato da materiali riflettenti (marmo, cemento, vetro, etc) e/o dalle forme geometriche irregolari presenterà Tempi di Riverberazione alti e quindi una elevata propensione al rumore.


*The measurement of Reverberation Time (RT60), or the time required for sound to become imperceptible, allows the acoustic comfort to be measured in any given environment: the higher the reverberation time, the greater the perception of sound.*

*A setting with reflective materials (such as marble, cement, glass etc) and/or irregular geometric shapes will have high Reverberation Time and therefore tend to be noisy.*

### Noise Rumore



### Acoustic comfort Comfort acustico



L'introduzione in un ambiente di oggetti fonoassorbenti (quindi in grado di ridurre la durata dei Tempi di Riverberazione) è il mezzo attraverso cui, pur senza apportare modifiche strutturali allo spazio, si può raggiungere un comfort acustico.

Introducing sound-absorbing objects into an environment (objects which can reduce the Reverberation Time), is the way in which acoustic comfort can be reached without making any structural changes to the space itself.

# Come si misura l'efficacia di un oggetto fonoassorbente?

How can the efficiency of an object's sound absorbency be measured?

Misurando il Tempo di Riverberazione (RT60) di un ambiente chiuso - in presenza ed in assenza di oggetti fonoassorbenti - sarà possibile calcolarne, per differenza, l'efficacia degli stessi.

Per calcolare il Tempo di Riverberazione (RT60), è necessario conoscere il Volume dello spazio chiuso (V) e l'Area equivalente di Assorbimento (A) cumulata di tutte le superfici e gli oggetti presenti nell'ambiente:

$$RT60 = 0,161 \times (V/A)$$

L'Area equivalente di Assorbimento (A) del singolo oggetto (i.e. la lampada) tiene contemporaneamente conto, delle proprietà fonoassorbenti dei materiali di cui l'oggetto si compone, delle sue dimensioni, della sua forma e delle modalità di installazione.

*By measuring the Reverberation Time (RT60) of an enclosed environment both with and without sound-absorbing objects, then taking into account the difference, it is possible to calculate their efficiency.*

*In order to calculate the Reverberation Time (RT60), the Volume of the enclosed space (V) and the cumulative Equivalent Sound Absorbing Area (A) of all the surfaces and objects present in the environment must be known:*

$$RT60 = 0,161 \times (V/A)$$

*The Equivalent Sound Absorbing Area (A) of each single object (i.e. lamp) takes into account the overall sound-absorbing properties of the materials the object is made of, as well as its size and shape.*



Project: PLP Architecture Photo: Lida Chaulet e Ronald Tilleman

Per conoscere le proprietà fonoassorbenti di un mero materiale (ma non di un oggetto nel suo complesso) è possibile usare il **Coefficiente di Assorbimento Acustico** ( $\alpha$ ), il cui valore può variare fra 0, nel caso in cui tutta l'energia incidente è riflessa, e 1, nel caso in cui tutta l'energia incidente è assorbita. Pertanto, se il valore di  $\alpha$  è pari a 0,5, il 50% dell'energia incidente sulla superficie del materiale è assorbita.

*To identify the sound-absorbing properties of a single material (not the object in its entirety) it is possible to use the **Sound Absorption Coefficient** ( $\alpha$ ) whose value can vary from 0, where all incident sound is reflected, to 1, where all incident sound is absorbed. Therefore, if the value of  $\alpha$  equals 0,5, 50% of the incident sound on the material's surface is absorbed.*

# Where we tested our products?

Dove testiamo i nostri prodotti?

L'ambiente nel quale è stata misurata la capacità fonoassorbente delle lampade Axolight è quello di seguito rappresentato:


Sono stati misurati, al variare delle frequenze del suono emesso da una sorgente audio, sia i tempi di riverbero dell'ambiente in assenza di lampade fonoassorbenti, sia quelli successivi all'introduzione di 1, 2 o 3 lampade fonoassorbenti per volta.

È stata così calcolata la riduzione del rumore nell'ambiente.

*The environment used to measure the sound-absorbing properties the Axolight lamps is shown below:*

*The Reverberation Times of the room, with sounds of varying frequencies emitted from an audio source, were measured, first without acoustic lamps, then with 1, 2 or 3 lamps added at a time.*

*This is how the reduction of sound in the room was calculated.*



## Room data

L → 8 m

w → 6 m

H → 3,1 m

→ 150 m<sup>3</sup>

\* Tranne Layers che è stata testata in uno spazio di dimensioni 300 m<sup>3</sup>.

\* Except Layers which has been tested in one space of size 300 m<sup>3</sup>.

# Bell

Manuel Vivian

da 0,32  
a 4,63  
Area Equivalente di  
Assorbimento (A)


da -3,3%  
a -59,7%  
Riduzione del rumore

Media 500÷2.000 Hz

from 0,32  
to 4,63  
Equivalent Sound  
Absorbing Area (A)


from -3,3%  
to -59,7%  
Reduction of noise

Average 500÷2.000 Hz



Collezione composta da lampade a soffitto e a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.



Prodotto fonoassorbente /  
Sound absorbing product



# Layers

Vanessa Vivian

da 2,30  
a 5,78  
Area Equivalente di  
Assorbimento (A)


da -10,8%  
a -47,1%  
Riduzione  
del rumore

Media 500÷2.000 Hz

from 2,30  
to 5,78  
Equivalent Sound  
Absorbing Area (A)


from -10,8%  
to -47,1%  
Reduction  
of noise

Average 500÷2.000 Hz



Collezione composta da lampade a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting light source.



Prodotto fonoassorbente /  
Sound absorbing product



# Skirt

Vanessa Vivian

da 0,36  
a 3,55  
Area Equivalente di  
Assorbimento (A)

da -3,8%  
a -53,6%  
Riduzione  
del rumore

Media 500÷2.000 Hz

from 0,36  
to 3,55  
Equivalent Sound  
Absorbing Area (A)


from -3,8%  
to -53,6%  
Reduction  
of noise

Average 500÷2.000 Hz



Collezione di lampade a soffitto e a sospensione con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling and suspended lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.



Prodotto fonoassorbente /  
Sound absorbing product



# Velvet

Manuel Vivian

da 0,23  
a 2,05  
Area Equivalente di  
Assorbimento (A)

da -2,5%  
a -40,0%  
Riduzione  
del rumore

Media 500÷2.000 Hz

from 0,23  
to 2,05  
Equivalent Sound  
Absorbing Area (A)


from -2,5%  
to -40,0%  
Reduction  
of noise

Average 500÷2.000 Hz



Collezione di lampade a sospensione e a soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.

Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.



Prodotto fonoassorbente /  
Sound absorbing product



# Ukiyo

Manuel Vivian

da 0,17  
a 0,77  
Area Equivalente di  
Assorbimento (A)


da -1,8%  
a -20,1%  
Riduzione  
del rumore

Media 500÷2.000 Hz

from 0,17  
to 0,77  
Equivalent Sound  
Absorbing Area (A)


from -1,8%  
to -20,1%  
Reduction  
of noise

Average 500÷2.000 Hz




Collezione composta da lampade a parete o a soffitto con struttura metallica e rivestimento in tessuto bianco retato elasticizzato, sfoderabile e lavabile. Disponibile in tre dimensioni. Sorgente luminosa con attacco a vite.


Collection consisting of ceiling or wall lamps with metal frame and white removable, washable elastic mesh fabric covering. Available in three sizes. Screw fitting light bulb.



110 cm



55 cm



55 cm

Prodotto fonoassorbente /  
Sound absorbing product



# U-Light

Timo Ripatti

da 0,54  
a 3,11  
Area Equivalente di  
Assorbimento (A)

da -5,6%  
a -49,6%  
Riduzione  
del rumore

Media 500÷2.000 Hz

from 0,54  
to 3,11  
Equivalent Sound  
Absorbing Area (A)


from -5,6%  
to -49,6%  
Reduction  
of noise

Average 500÷2.000 Hz




Collezione composta da lampade a parete, soffitto e sospensione in alluminio. Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile. Disponibile con opzione fonoassorbente.


Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.



Ø 180 cm



Ø 160 cm



Ø 180 cm

Prodotto fonoassorbente /  
Sound absorbing product





# Legenda / Legend



I nostri prodotti sono sottoposti alle prove di sicurezza elettrica e conformi alle Direttive Comunitarie Europee EN60598-1, LVD 2006/95/EC, EMC 2004/108/EC (ove pre visto).

*Our products undergo electric safety tests and comply with ECC Directive EN60598-1, LVD 2006/95/EC, EMC 2004/108/EC (where provided).*

I dati nominali di flusso (lm) e di efficienza (lm/W) sono riferiti rispettivamente alle sorgenti LED e alle sorgenti LED più l'assorbimento della PSU.

*Nominal flux (lm) and efficacy (lm/W) of the products are estimated on the LED sources and the LED sources plus the PSU absorption.*

I dati riportati sono puramente indicativi; è possibile che siano riportati degli errori di stampa. Axo Light può apporre modifiche di qualsivoglia tipo agli apparecchi, ai dati e alle relative istruzioni senza preavviso alcuno. Axo Light non presta garanzia legale relativamente all'accuratezza dei dati riportati nel presente listino.

*The details given here are intended purely as guidance as errors may have occurred during the printing process. Axo Light may make alterations of any type to the light fittings, data and relevant instructions without notice. Axo Light does not provide legal guarantee regarding the accuracy of the data provided in this price list.*



## CLASSE 1

Solo isolamento fondamentale; le parti conduttrici accessibili sono collegate ad un conduttore di terra. Messa a terra obbligatoria.

*Basic insulation, accessible conductors are earthed. Earthing is compulsory.*



## CLASSE 2

Sistema a doppio isolamento; messa a terra esclusa.

*Double insulation. Earthing: excluded.*



## CLASSE 3


Apparecchio in cui la protezione contro la scossa elettrica si basa sulla alimentazione a bassissima tensione di sicurezza.

*Appliance in which protection against electrical shock is guaranteed by the extremely low voltage power supply.*

## PSU


Alimentatore.

*Power Supply Unit.*




Dimmerabile. Dimmer incluso.

*Dimmable. Dimmer included.*



Dimmerabile solo con driver dedicato.

*Dimmable only with dedicated power supply unit.*




Articolo dimmerabile 1-10V.

*Dimmable 1-10V.*




Interfacciabile con sistema DALI.

*Interfaceable with DALI system.*



Dimmerabile a taglio di fase.

*Dimmable phase cut.*



Articolo dimmerabile Push

*Dimmable Push*

## 220-240VAC LED

Prodotto con LED integrato a tensione di rete.

*Product equipped with Integrated LED for the mains voltage.*

Misure dei disegni in cm.

Schede tecniche e files 3D verranno implementati e resi disponibili nel sito [www.axolight.it](http://www.axolight.it) e [axolight.us](http://axolight.us).

## LED

Prodotto con LED integrato.

*Integrated LED product.*

## LED

Prodotto per sola lampadina a LED.

*Product for LED light bulbs only.*

## +LED

Prodotto con lampadine LED o convenzionali.

*Product for LED or conventional light bulbs.*

*Measures of the drawings in cm.*

*Technical sheets and the 3D files will be updated and available at [www.axolight.it](http://www.axolight.it) and [axolight.us](http://axolight.us).*

## IPXY

Grado di protezione contro corpi solidi X - e contro i liquidi Y.

*Protection rating against solid bodies X - against liquids Y.*

## CRI

Indice di resa di colore.

*Colour rendering index.*

Il peso indicato si riferisce al peso netto degli articoli. Il volume indicato si riferisce al volume degli imballi degli articoli.

*The weight indications refer to the net weight of the items. The volume indications refer to the volume of the packing boxes of the items.*

# Legenda / Legend



Prodotto conforme ai regolamenti tecnici dell'unione doganale euroasiatica.

*Product in compliant with the technical regulations of the euroasian custom union.*



Prodotto testato e certificato da elettric testing laboratories (ETL) accreditato, in conformità con le normative del Nord America e del Canada.

*Product tested and certified by electrical testing laboratories (ETL) in compliance with the North American and Canadian laws.*



Con sorgente luminosa.

*With light source.*



Senza sorgente luminosa.

*Without light source.*

## EEL compatibility

Gli apparecchi Axo Light sono compatibili con lampadine etichettate con le classi energetiche del regolamento ENERGY LABELLING eventualmente disponibili in commercio e previa verifica dimensionale. La classe energetica in grassetto è quella della lampadina con cui è venduto l'apparecchio. I prodotti presenti a listino con il simbolo **LED** sono muniti di lampade a LED integrate non sostituibili. Le informazioni qui riportate riguardo le classi energetiche delle lampadine non sono esaustive di tutti i tipi effettivamente reperibili sul mercato dell'Area Economica Europea.

*The Axo Light luminaires are compatible with bulbs - if available in the market and previously checked as regards their dimensions - labelled with the energy classes of the ENERGY LABELLING regulation. The energy class letter in bold format is related to the bulb supplied together with the specific article. The products with the symbol **LED** are equipped with built-in LED lamps that cannot be changed. The information regarding the energy classes of the bulbs are not exhaustive about the actual whole range available in the Economic European Area market.*

**ART DIRECTION**

Magdalena Kirova

**GRAPHIC DESIGN**

design-associati.it

**MAIN PHOTOGRAPHER**

Paolo Cusenza

Axo Light si riserva il diritto di apportare ai modelli, senza alcun preavviso, qualsiasi modifica ritenesse opportuna. Axo Light non risponde per eventuali danni a persone o cose causati da una non corretta installazione dei propri apparecchi d'illuminazione. I dati riportati sono puramente indicativi; è possibile che siano riportati degli errori di stampa.

*Axo Light reserves itself the right to introduce any changes to its own models, without prior notice. Axo Light is not liable for injuries or damage due to the incorrect installation of its fixtures. The details given here are intended purely as guidance as errors may have occurred during the printing process.*

Le schede tecniche dei prodotti Axo Light sono scaricabili direttamente dal nostro sito: [www.axolight.it](http://www.axolight.it) - [www.axolight.us](http://www.axolight.us)  
Axo Light technical sheets can be downloaded directly from our website: [www.axolight.it](http://www.axolight.it) - [www.axolight.us](http://www.axolight.us)

axolight.it  
axolight.us

**AXO LIGHT SRL**

via Moglianese 44

30037 Scorzè

Venezia (Italy)

t +39 041 5845193

axolight@axolight.it

**AXO LIGHT USA INC**

22 Shelter Rock Lane STE# 104

Danbury, CT 06810, USA

t +1 (203) 730 0452

info@axolightusa.com